



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Fax: 973-439-1402,
 email: info@jeen.com Website: www.jeen.com

D2T Physical Sunscreen Stick Formulation J2/45

Phase	Ingredients	INCI Nomenclature	Supplier	%
A	Jeelux D2T	Isohexadecane, Dimethicone, Triisostearyl Citrate, Bis-Vinyl Dimethicone/Dimethicone Copolymer	JEEN Int'l	26.3
A	JEECID® CAP-2	Phenoxyethanol & Caprylyl Glycol & Hexylene glycol	JEEN Int'l	0.2
A	Jeesilc DMC 19	PEG/PPG-18/18 Dimethicone	JEEN Int'l	0.5
A	Permethyl 101A	Isohexadecane	Presperse	28.0
A	Sunflower Wax	Sunflower Wax	JEEN Int'l	4.0
A	Jeenate 5H	Polyethylene	JEEN Int'l	11.0
B	Jeesperse ZOTN-65	Zinc Oxide (USP)/C12-15 Alkyl Benzoate, DEA Oleth 3 Phosphate	JEEN Int'l	20.0
B	Jeesperse T50TN	C12-15 Alkyl Benzoate, Titanium Dioxide, Triethoxycaprylylsilane, Castor Oil Phosphate	JEEN Int'l	10.0

Procedure:

- 1.) Mix Phase A while increasing temperature to 80-85C
- 2.) Add Phase B
- 3.) Mix until homogenous.
- 4.) Pour at 80-85C and chill

You Can Count On Us!

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein.