

**Face/Body Lotion
Formulation J5-55B**

The **Jeelux® DMIPIS** is a light ester/silicone combination that can substitute for volatile solvents while still providing a very dry but velvety slip.

Phase	Ingredients	INCI Nomenclature%	Supplier	%
A	Jeesilc® DMC 19	PEG/PPG-18/18 Dimethicone	JEEN® Int'l	2.0
A	Jeechem® GMS-165	Glyceryl Stearate/PEG- 100 Stearate	JEEN® Int'l	4.8
A	Jeenate® 2H	Polyethylene	JEEN® Int'l	4.8
A	Jeelux® DMIPIS	Isopropyl Isostearate, Dimethicone & Bis-Vinyl Dimethicone/Dimethicone Copolymer	JEEN® Int'l	29.6
B	Glycerin	Glycerin	JEEN® Int'l	5.7
B	Water	Water		51.2
B	Jeecide® CAP-5	Phenoxyethanol, Caprylyl Glycol, Hexylene Glycol, Potassium Sorbate	JEEN® Int'l	0.8
B	Xanthan Gum	Xanthan Gum		1.1

Procedure:

- 1) Mix Phase A and heat to 70 – 75°C
- 2) In a separate vessel mix Phase B and heat to 70 – 75°C
- 3) Add Phase B to Phase A and mix
- 4) Cool to room temperature while mixing

You Can Count On Us!

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein. JEEN International Corporation assumes no legal responsibility for use or reliance upon these data.