



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Fax: 973-439-1402,
 email: info@jeen.com Website: www.jeen.com

Just Golden! Body Gel Formulation J4/53A

This shimmering body gel contains **Jeesilc® PS-CMBF**, a **PATENTED**, non-crosslinked silicone copolymer which provides structure to the external phase in this no-heating required formulation. This silicone copolymer provides an excellent silky, cushiony feel with superior spread properties. The **Jeesilc® DS-8** is a high HLB water soluble silicone which balances the emulsion and provides slip. The **Jeecide® CAP-5** is a non-paraben, globally approved preservative blend effective against bacteria, yeast and mold.

Phase	Ingredients	INCI Nomenclature	Supplier	%
A	JEESILC® CPS-312	Cyclopentasiloxane	JEEN Int'l	20.00
A	Abil EM-97	Bis-PEG/PPG-14/14 Dimethicone	Degussa	3.00
A	JEESILC® PS-CMBF	Cyclomethicone & Bis-Vinyl Dimethicone/Dimethicone Copolymer	JEEN Int'l	6.00
A	Fragrance Cherry Vanilla	Fragrance		
B	DI Water	Water		41.4
B	JEESILC®™ DS-8	PEG-8 Dimethicone	JEEN Int'l	2.00
B	Glycerin 99	Glycerin	JEEN Int'l	5.00
B	Propylene Glycol	Propylene Glycol	JEEN Int'l	20.00
B	Sodium Chloride	Sodium Chloride		1.00
B	JEECIDE® CAP-5	Phenoxyethanol & Caprylyl Glycol & Potassium Sorbate & Water & Hexylene Glycol	JEEN Int'l	1.00
B	Citric Acid	Citric Acid	Adjust pH to 5.5 – 6.5	
C	Prestige Sparking Lemon Gold	Mica & Titanium Dioxide and Iron Oxides	Eckart	0.35

Procedure:

- 1.) Combine Phase A Cyclomethicone and Jeesilc PS-CMBF. Mix with a medium speed prop until uniform. Add in the Abil EM-97 and fragrance and mix well.
- 2.) Combine the water and add in all other ingredients and mix until uniform. Adjust pH with Citric Acid.
- 3.) When phases are at room temperature, begin high speed prop agitation in Phase A and very slowly add Phase B. Viscosity will increase and sweep mixing may be necessary.
- 4.) Add in Phase C and mix until uniform.

You Can Count On Us!

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein.