

### Lip Gloss Formulation #'s J3/17A&B

Ingredients	INCI Nomenclature	Supplier	A Coral %	B Burgundy %
Bentone Gel VS-PC	Disteardimonium Hectorite & Cyclopentasiloxane & Propylene Carbonate	Elementis	49.43	29.37
<b>JEESILC® PS-DMLV</b>	<b>Dimethicone &amp; Bis-Vinyl Dimethicone/Dimethicone Copolymer</b>	<b>JEEN® Int'l</b>	<b>11.00</b>	<b>6.51</b>
Indopol H-100	Polybutene	Lipo	-	35.15
<b>JEESILC® 74</b>	<b>Cyclomethicone &amp; Trimethylsiloxysilicate</b>	<b>JEEN® Int'l</b>	<b>5.48</b>	<b>3.25</b>
<b>JEESILC® DMC-141</b>	<b>Cyclomethicone &amp; Dimethiconol</b>	<b>JEEN® Int'l</b>	<b>5.48</b>	<b>3.25</b>
<b>JEECHEM® FS-103</b>	<b>Butylene Glycol &amp; PEG-25 Hydrogenated Castor Oil &amp; PEG-40 Hydrogenated Castor Oil</b>	<b>JEEN® Int'l</b>	<b>3.29</b>	<b>1.95</b>
Water	Water		3.29	1.95
BTD-11S2	Titanium Dioxide and Triethoxy Caprylylsilane	Kobo	3.72	2.21
Ganzpearl GPA-550	Polymethyl Methacrylate	Presperse	2.20	1.30
Orange Covapate W2762	Castor Oil & FD&C Yellow #6 Aluminum lake	LCW	3.46	
D&C Red #7 COD 8001	Castor Oil & D&C Red #7	LCW	1.42	10.82
Rona Star Red Sparks	Mica & Titanium Dioxide & Silica	EMD/Rona	3.55	
Xirona Indian Summer	Silica & Iron Oxides	EMD/Rona	2.75	
Blue Covapate W6762	Castor Oil & FD&C Blue #1 Aluminum Lake	LCW		0.43
Noir Covapate W9764	Castor Oil & Black Iron Oxide	LCW		0.88
<b>JEESILC® CPS-312</b>	<b>Cyclomethicone</b>	<b>JEEN® Int'l</b>	<b>4.93</b>	<b>2.93</b>

**Procedure:**

1. Add the Bentone Gel, Jeesilc PS-DMLV, Jeesilc 74 and Jeesilc DMC-141 and heat to 65-70C. Mix with prop agitation.
2. Pre-mix the Jeechem FS-103 and water and add to the batch.
3. Add in the Color Concentrate, BRO-11S2, BTD-11S2, Cloissonne Rouge and Ganzpearl GPA-550 and begin homogenizing agitation. Mix until smooth and uniform.
4. Cool to 50C add in the Jeesilc CPS-312 and mix with prop agitation.
5. Cool to RT.

***You Can Count On Us!***