

**Sheer Shimmer Lip Gloss  
Formulation # J3/47A**  
High Shine Liquid Lip Gloss with a Flexible Film

Ingredients	INCI Nomenclature	Supplier	Burgundy %
Bentone Gel VS-PC	Disteardimonium Hectorite & Cyclopentasiloxane & Propylene Carbonate	Elementis	26.87
<b>JEESILC® PS-PTLV</b>	<b>Phenyl Trimethicone, Bis-Vinyl Dimethicone/Dimethicone Copolymer</b>	<b>JEEN® Int'l</b>	<b>5.88</b>
Indopol H-100	Polybutene	Lipo	31.79
<b>JEESILC® 74</b>	<b>Cyclomethicone &amp; Trimethylsiloxysilicate</b>	<b>JEEN® Int'l</b>	<b>2.94</b>
<b>JEESILC® DMC-151</b>	<b>Cyclopentasiloxane &amp; Dimethiconol</b>	<b>JEEN® Int'l</b>	<b>2.94</b>
<b>JEECHEM® FS-103</b>	<b>Butylene Glycol &amp; PEG-25 Hydrogenated Castor Oil &amp; PEG-40 Hydrogenated Castor Oil</b>	<b>JEEN® Int'l</b>	<b>1.76</b>
Water	Water		1.76
BTD-11S2	Titanium Dioxide and Triethoxy Caprylylsilane	Kobo	2.00
<b>JEESILC® PS-VHLV 30% Red #7</b>	<b>Isododecane and Bis-Vinyldimethicone/ Dimethicone Copolymer</b>	<b>JEEN® Int'l</b>	<b>10.35</b>
Ganzpearl GPA-550	Polymethyl Methacrylate	Presperse	1.17
D&C Red #7 COD 8001	Castor Oil & D&C Red #7	LCW	9.78
Blue Covapate W6762	Castor Oil & FD&C Blue #1 Aluminum Lake	LCW	0.07
Noir Covapate W9764	Castor Oil & Black Iron Oxide	LCW	0.05
<b>JEESILC® CPS-312</b>	<b>Cyclomethicone</b>	<b>JEEN® Int'l</b>	<b>2.64</b>

**Procedure:**

1. Add the Bentone Gel, JEESILC® PS-PT-LV, Indopol H-100, JEESILC® 74 and JEESILC® DMC-141 and heat to 65-70C. Mix with prop agitation.
2. Pre-mix the JEECHEM® FS-103 and water and add to the batch.
3. Add in the BTD-11S2, 30% Red#7 in JEESILC® PS-VHLV, Ganzpearl GPA-550, D&C Red #7 in Castor Oil, Blue Covapate and Noir Covapate and begin homogenizing agitation. Mix until smooth and uniform.
4. Cool to 50C add in the JEESILC® CPS-312 and mix with prop agitation.
5. Cool to RT.

***You Can Count On Us!***