

April 11, 2006

***Matt Concealer Stick  
Formulation J17C***

<b>Ingredients</b>	<b>INCI Nomenclature</b>	<b>Supplier</b>	<b>%</b>
<b>Dimethicone 20 cst.</b>	<b>Dimethicone</b>	<b>JEEN® Int'l</b>	<b>45.05</b>
<b>JEESILC® PS-VHLV</b>	<b>Isododecane and Bis-Vinyldimethicone/ Dimethicone Copolymer</b>	<b>JEEN® Int'l</b>	<b>15.30</b>
<b>JEENATE® 4H</b>	<b>Polyethylene</b>	<b>JEEN® Int'l</b>	<b>5.10</b>
<b>JEENATE® 5H</b>	<b>Polyethylene</b>	<b>JEEN® Int'l</b>	<b>1.30</b>
TiO2 SI	Titanium Dioxide and Methicone	LCW/Sensient	18.10
Spheron L-1500	Silica	Presperse Inc.	6.50
Ganzpearl GPA-550	Nylon 12	Presperse Inc.	6.50
Red Iron Oxide SI	Iron Oxide and Methicone	LCW/Sensient	0.60
Black Iron Oxide SI	Iron Oxide and Methicone	LCW/Sensient	0.35
Yellow Iron Oxide SI	Iron Oxide and Methicone	LCW/Sensient	1.20

**Specifications:**

Appearance: Soft, waxy stick

**Procedure:**

1. Blend all powders in an Osterizer and mix on high for 5 minutes
2. Add all oils and waxes to main tank and heat to 75-80C.
3. Add powders to oils and waxes and homogenize until smooth.

***You Can Count On Us!***