

Matte Foundation
Formulation J5/64

Phase	Ingredients	INCI Nomenclature	Supplier	%
A	JEESPERSE® HD	Isododecane, Dimethicone Crosspolymer-3, Laureth-4, Ceteth-10, Water	JEEN® Int'l	30
A	JEELUX® DMIPIS	Isopropyl Isostearate, Dimethicone, Bis-Vinyl Dimethicone/Dimethicone Copolymer	JEEN® Int'l	5.5
A	JEECIDE® CAP-5	Phenoxyethanol, Caprylyl Glycol, Potassium Sorbate, Water, Hexylene Glycol	JEEN® Int'l	0.5
A	WE70U	TITANIUM DIOXIDE	KOBO	11
A	WE70R	RED OXIDE	KOBO	0.3
A	WE55Y	YELLOW OXIDE	KOBO	1.4
A	WE70B	BLACK OXIDE	KOBO	0.05
A	WATER	WATER		45.65
B	MICA	MICA		2.4
B	SP-500	NYLON	KOBO	1.0
C	METHOCEL E4M	HYDROXYPROPYL METHYL CELLULOSE	DOW	0.3
D	SIMUL GEL A	ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER	SEPPIC	1.9
				100

Procedure:

- 1) Mix Phase A until uniform
- 2) Add Phase B and heat 55-60°C
- 3) Mix Phase C in separate kettle while heating to 70 – 75°C
- 4) Once Phase C looks uniform with no clumps, add to Phase A & B
- 5) Homogenize until uniform
- 6) Add Phase D while mixing and cool to room temperature

You Can Count On Us!

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein. JEEN International Corporation assumes no legal responsibility for use or reliance upon these data.