

Mousse Foundation
Formulation J2/18B

Ingredients	INCI Nomenclature	Supplier	%
ISODODECANE 75% & JEESILC PS-VHBF 25%	Isododecane, Isododecane, Bis-Vinyl Dimethicone/Dimethicone Copolymer	JEEN® Int'l	36.0
JEENATE 4H	POLYETHYLENE	JEEN® Int'l	5.50
JEENATE 5H	POLYETHYLENE	JEEN® Int'l	1.80
AEROSIL 200	SILICA	DEGUSSA	1.00
SP-500	NYLON 12	KOBO	6.50
ISODODECANE	Isododecane	PRESPERSE	28.90
TITANIUM DIOXIDE	Titanium Dioxide and Triethoxycaprylylsilane	KOBO	18.10
RED IRON OXIDE	Red IronOxide and Triethoxycaprylylsilane	KOBO	0.60
YELLOW IRON OXIDE	Yellow IronOxide and Triethoxycaprylylsilane	KOBO	1.20
BLACK IRON OXIDE	Black IronOxide and Triethoxycaprylylsilane	KOBO	0.40

Procedure:

1. Pre-mix Isododecane and Jeasilc PS-VHBF.
2. Add oils and waxes to main tank and heat to 75-80C.
3. Add color grind and mix until smooth.
4. Pour hot into containers.

You Can Count On Us!