



24 Madison Road, Fairfield, New Jersey 07004, USA  
 Tel: 800-771-JEEN (5336), Fax: 973-439-1402,  
 email: info@ieen.com Website: www.ieen.com

**Skin Active  
 Formulation J6-74A JM**

Phase	Ingredients	INCI Nomenclature	Supplier	%
A	Jeelux® D2T	Isohexadecane, Dimethicone, Triisostearyl Citrate, Bis-Vinyl Dimethicone/Dimethicone Copolymer	JEEN Int'l	7.5
A	Jeelux® D2T Aqua Base	Isohexadecane, Dimethicone, Triisostearyl Citrate, Bis-Vinyl Dimethicone/Dimethicone Copolymer, Polyethylene, Cetyl PEG/PPG-10 Dimethicone	JEEN Int'l	7.5
A	Jeenate® 5H	Polyethylene	JEEN Int'l	8.0
A	Jeenate® 3H	Polyethylene	JEEN Int'l	2.5
A	Jeesilc® 153	Dimethiconol, Dimethicone	JEEN Int'l	5.0
A	Permethyl 101A	Isohexadecane	Presperse	16.0
A	Jeesilc® 282	Amodimethicone	JEEN Int'l	0.20
A	DI Water	Distilled water		40.5
A	Glycerine	99% Glycerine	JEEN Int'l	5.00
A	Jeecide® CAP-5	Phenoxyethanol & Caprylyl Glycol, Potassium Sorbate & Hexylene glycol	JEEN Int'l	0.80
B	SP-500	Nylon	Kobo	0.50
B	Kobomica S-25	Mica	Kobo	2.00
C	BP – Glucan MC	Beta Glucan MC	Botanicals Plus	0.10
C	BP – Biopeptide SC	Selenium Biopeptide	Botanicals Plus	0.10
C	BP – Ceramide LC S-20	Ceramide/BG/cholesterol/fatty acid	Botanicals Plus	0.20
C	Matrixyl 3000	Glycerin & Butylene Glycol & Water & Carbomer & Polysorbate 20 & Palmitoyl Oligopeptide & Palmitoyl Tetrapeptide-3	Sederma	0.50
C				
C	WE70U	TiO2	Kobo	3.00
C	WE70B	Black IO	Kobo	0.04
C	WE55Y	Yellow IO	Kobo	0.46
C	WE55R	Red IO	Kobo	0.1

**Procedure:**

- 1.) Mix Phase A while increasing temperature to 80-85C
- 2.) Mix Phase B in with Phase A until homogenous
- 3.) Add Phase C to mix until homogenous
- 4.) Pour at 80-85C and chill

***You Can Count On Us!***

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein.