



24 Madison Road, Fairfield, New Jersey 07004, USA
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
email: info@jeen.com , Website: www.jeen.com

JEECHEM GMIS
(GLYCERYL MONOISOSTEARATE)

APPEARANCE @ 25°C:	CLEAR STRAW COLORED LIQUID TO SOFT SOLID
COLOR GARDNER:	5.0 MAXIMUM
ODOR:	SLIGHT, TYPICAL
SPECIFIC GRAVITY @25°C:	0.960
REFRACTIVE INDEX @ 25°C:	1.4620
MOLECULAR WEIGHT:	358
ACID VALUE, MGKOH/G:	5.0 MAXIMUM
FREE FATTY ACID AS ISOSTEARIC ACID (MOL, WT.284) %:	1.4 MAXIMUM
SAPONIFICATION VALUE:	160 - 180
IODINE VALUE:	5.0 MAXIMUM
FLASH POINT °C:	OVER 170

INCI: Glyceryl Isostearate

SOLUBILITY: SOLUBLE IN MOST ORGANIC SOLVENTS SUCH AS ALCOHOLS, KETONES, ESTERS, GLYCOL ETHERS, VEGETABLE OIL, MINERAL OIL, ALIPHATIC, AROMATIC AND CHLORINATED HYDROCARBONS.

DISPERSIBLE: IN GLYCOLS, TRIOLS AND POLYOLS.

INSOLUBLE: IN GLYCOLS, TRIOLS AND POLYOLS.

INSOLUBLE: IN WATER

PACKAGING: 55 GALLON STEEL DRUM
GROSS WT: 440 LBS. TARE WT: 40 LBS. NET WT: 400 LBS.

PACKAGING: 5 GALLON POLY PAIL
GROSS WT: 38 LBS. TARE WT: 3 LBS. NET WT: 35 LBS.

Important Note: This document is for informational purposes only. Please contact your JEEN International Sales Representative before writing specifications for this product.

You Can Count On Us!

All suggestions and data in this bulletin are based on information we believe to be reliable. They are offered in good faith. However, no guarantee is made or implied as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions on an experimental basis before adopting them on a commercial scale. Statements as to the use of our products are not to be construed as recommendations for their use in the infringement of any patents.