



24 Madison Road, Fairfield, New Jersey 07004, USA
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
email: info@jeen.com , Website: www.jeen.com

JEESCREEN BENZOPHENONE-3 USP

APPEARANCE @ 25°C:	A YELLOW FREE FLOWING CRYSTALLINE POWDER
ASSAY (HPLC):	98.0% Minimum
MELTING POINT:	62.0 – 65.0°C
LOSS ON DRYING:	0.20% MAXIMUM
IR SCAN:	COMPLIES
UV ABSORBANCE (E288):	630 MINIMUM
RESIDUE ON IGNITION, %:	0.10 MAXIMUM
TOTAL AEROBIC COUNT:	300 cfu/g MAXIMUM
TOTAL LEAF MOLD:	100 cfu/g MAXIMUM

STORAGE: STORE IN FULL TIGHTLY SEALED CONTAINERS IN A COOL, DRY PLACE AWAY FROM DIRECT SUNLIGHT. TEMPERATURE 50-70°F AND RELATIVE HUMIDITY 70 % MAXIMUM.

SHELF LIFE: UNDER PROPER STORAGE CONDITIONS, 36 MONTHS.

PACKAGING:	Drum		
Weights:	Gross: 118 Lbs.	Tare: 8 Lbs.	Net: 110 Lbs.
	Gross: 53.52 Kgs.	Tare: 3.63 Kgs.	Net: 49.90 Kgs.
PACKAGING:	Pail		
Weights:	Gross: 23 Lbs.	Tare: 3 Lbs.	Net: 20 Lbs.
	Gross: 10.43 Kgs.	Tare: 1.36 Kgs.	Net: 9.07 Kgs.

Application/Usage: JEESCREEN Benzophenone 3 is a category I sunscreen in the United States, allowable at levels of up to 6% alone and 2-6% when used in combination with other sunscreen actives. It is used in combination with other sunscreen actives to provide higher SPF class. It has major absorption peaks in both the UVB and UVA ranges (at 288nm and 325nm respectively.)

Safety: Refer to the FDA Sunscreen Monograph and the Cosmetic Ingredient Review Report (CIR 331-82-36) for details.

DRUG NAME – OXYBENZONE

You Can Count On Us!

While JEEN International Corporation believes the data set forth herein are accurate as the date hereof, JEEN International Corporation makes no warranty with respect thereto and expressly disclaims all liability for reliance thereon. Such data are offered solely for consideration, investigation and verification

Revision Date; 06/16/2010