



Revision Date: 11/18/2011

24 Madison Road, Fairfield, New Jersey 07004, USA  
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,  
email: [info@jeen.com](mailto:info@jeen.com) , Website: [www.jeen.com](http://www.jeen.com)

JEEORB L-20 NF

(POLYSORBATE 20)

CHEMICAL NOMENCLATURE: POLYOXETHYLENE (20) SORBITAN MONOLAUATE

APPEARANCE @ 25C.:	CLEAR LIQUID
ACID NUMBER:	2.0 MAXIMUM
COLOR (GARDNER):	3.0 MAXIMUM
SAPONIFICATION VALUE:	40.0 – 50.0
HYDROXYL NUMBER:	96.0 – 108.0
WATER CONTENT, %:	3.0 MAXIMUM
pH (5%):	5.0 - 6.5
1,4 DIOXANE, ppm:	< 10.0
RESIDUE ON IGNITION, %:	0.25 MAXIMUM
ARSENIC, ppm:	1.0 MAXIMUM
HEAVY METALS, ppm:	10.0 MAXIMUM
FREE EO, (PPM):	< 1.0
IDENTIFICATION:	PASSES TEST A&B

PACKAGING:	55 GALLON STEEL DRUM		
WEIGHTS:	GROSS: 538 Lbs.	TARE: 38 Lbs.	NET: 500 Lbs.
	GROSS: 244.04 Kgs.	TARE: 17.24 Kgs.	NET: 226.80 Kgs.
PACKAGING:	5 GALLON PAIL		
WEIGHTS:	GROSS: 43 Lbs.	TARE: 3 Lbs.	NET: 40 Lbs.
	GROSS: 19.50 Kgs.	TARE: 1.36 Kgs.	NET: 18.14 Kgs.
PACKAGING:	TOTES		
WEIGHTS:	GROSS: 2400 Lbs.	TARE: 200 Lbs.	NET: 2200 Lbs.
	GROSS: 1088.63 Kgs.	TARE: 90.72 Kgs.	NET: 997.91 Kgs.

Important Note: This document is for informational purposes only. Please contact your JEEN International Sales Representative before writing specifications for this product.

You Can Count On Us!

All suggestions and data in this bulletin are based on information we believe to be reliable. They are offered in good faith. However, no guarantee is made or implied as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions on an experimental basis before adopting them on a commercial scale. Statements as to the use of our products are not to be construed as recommendations for their use in the infringement of any patents.