



24 Madison Road
 Fairfield, NJ 07004
 Tel #: 973-439-1401
 Fax #: 973-439-1402
 info@jeen.com
 www.jeen.com

Jeesperse ICE-T CARB-1 Body Cream

Code Application Body Parts Form Appearance Emulsion Type
J18-108 **Skin Care** **Body** **Cream** **Opaque** **Oil in Water**

Hydrating, smooth body cream

Trade Name					
Phase	INCI Name	%	Vendor	Highlight Jeen Ingredients	
A	WATER Deionized Water	50.000	Jeen		
B	TRIETHANOLAMINE 99 % Triethanolamine	0.8000	Jeen		
C	JEEPERSER ICE-T CARB-1 Cetyl Alcohol, Glyceryl Stearate, Stearic Acid, Glycol Stearate, Carbomer	7.5000	Jeen	This Jeesperse® ICE-T™ product allows for the incorporation of all your waxy emulsifiers directly into your water phase with NO heat. Build your typical Emulsion Chassis while taking advantage of the manufacturing benefits and efficiencies associated with Jeesperse® ICE-T™ Technology: Manufacture Faster, More Consistent and while using Less Energy.	
D	GLYCERIN 96% USP Glycerin	4.0000	Jeen		
E	Petrolatum Petrolatum	3.0000			
F	JEECHEM® IPP NF Isopropyl Palmitate	3.2000	Jeen		
G	WATER Deionized Water	28.180	Jeen		
H	JEESILC® PDS-350 Dimethicone (polydimethylsiloxane)	2.0000	Jeen		
I	Lactic Acid Lactic Acid	0.0100	Upi		
J	Fragrance Fragrance Citrus Typeb	0.4000	West Fragrance		
K	Dissolvane Na2 Dissodium Edta	0.0100	Akzo Nobel		
L	Titanium Dioxide Ultrafine Titanium Dioxide	0.3000	Kobo		
M	JEECID® DMDM HYDANTOIN Dmdm Hydantoin	0.5000	Jeen		
N	JEECID® IPBC 10% Iodopropynyl Butylcarbamate, Propylene Glycol	0.1000	Jeen		
		100.0000	%		
Procedure				Product Specifications	
1	Start mixing Phase A and B.			Appearance	cream

2	Add Phase C and mix until homogeneous.	Ph	6.8
3	Add Phase D and E and mix until homogeneous.	Stability @ RT/45C° / FT	12-05-2012
4	Add Phase F, mix well.	Start Date	
5	Add Phase G and mix until homogeneous, add Phase H and mix until homogeneous.	Stability @ RT/45C° / FT	03-05-2013
6	Add Phase I and mix well. Continue, adding Phase J.	End Date	
7	Add Phase K and mix well. Add Phase L and mix until the powder is completely dispersed.	Viscosity	68,000cps
8	Add Phase M and N and mix until homogeneous.		
9	Adjust pH if is necessary and record the results.		

Innovation you can feel

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation.
The data on this sheet relates only to the specific material designated herein