



24 Madison Road  
 Fairfield, NJ 07004  
 Tel #: 973-439-1401  
 Fax #: 973-439-1402  
 info@jeen.com  
 www.jeen.com

## Hair Mask (Cationic)

**Code** J26-95A      **Application** Hair Care      **Body Parts** Hair      **Form** Cream      **Appearance** White      **Emulsion Type** Oil in Water

Hydrate your hair using this deep conditioner mask. After shampooing, apply a small amount to wet hair, concentrating on ends. Leave on for 5-10 minutes.

Trade Name				
Phase	INCI Name	%	Vendor	Highlight Jeen Ingredients
A	Water Water	89.400		
B	<b>JEESPERSER® ICE-T CIS-2</b> Peg-150 Distearate, Cetyl Alcohol, Polyquaternium-37	3.5000	Jeen	This Jeesperse utilizes a cationic charged polymer, Polyquaternium-37 which provides a cationic feel to your skin and hair products. This cationic Jeesperse allows for a high level of oils and emulsions while imparting a light, powdery feel.
C	<b>JEESILC® CPS-211</b> Cyclopentasiloxane	1.5000	Jeen	
C	<b>JEESILC® PDS-350</b> Dimethicone (polydimethylsiloxane)	1.0000	Jeen	
C	Benzyl Alcohol Benzyl Alcohol	0.1000		
C	<b>JOJOBA OIL (CLEAR)</b> Simmondsia Chinensis (jojoba) Seed Oil	1.0000	Jeen	
C	<b>SWEET ALMOND OIL NF</b> Prunus Amygdalus Dulcis (sweet Almond) Oil	1.0000	Jeen	
C	<b>OLIVE OIL (PURE)</b> Olea Europaea (olive) Fruit Oil	1.0000	Jeen	
D	<b>DL-PANTHENOL</b> Panthenol DI-pantothenyl Alcohol Cg	0.5000	Jeen	
D	<b>JEECIDE® CAP-5</b> Phenoxyethanol, Caprylyl Glycol, potassium Sorbate, water, Hexylene Glycol	1.0000	Jeen	Add this Broad Spectrum Preservative System at 0.5-1.5% in any emulsion for complete microbial protection in your formula. Paraben-Free, Formaldehyde-Free and Globally Compliant.
		100.0000	%	

Procedure		Product Specifications	
1	Add Phase A to the main tank. Add Phase B and start mixing until Jeesperse ICE-T-CIS-2 is completely dispersed.	<b>Initial pH</b>	5.6
2	Add Phase C ingredients in one at the time. Mix well until uniform.	<b>Initial Viscosity</b>	56,600 kps spTD@10RPM
3	Add Phase D ingredients in one at the time and mix well.	<b>24 hour pH</b>	5.6
4	Make sure cream is completely homogeneous before discontinuation of mixing.	<b>24 hour viscosity</b>	78,000 kps spTD@10RPM

### Innovation you can feel

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein