



24 Madison Road
 Fairfield, NJ 07004
 Tel #: 973-439-1401
 Fax #: 973-439-1402
 info@jeen.com
 www.jeen.com

Moisture Mask Base

Code J26-95B **Application** Skin Care,Hair Care **Body Parts** Body,Hair **Form** Cream **Appearance** White **Emulsion Type** Oil in Water

Trade Name				
Phase	INCI Name	%	Vendor	Highlight Jeen Ingredients
A	Water Water	88.400		
B	JEESPERSE® ICE-T CIS-2 Peg-150 Distearate, Cetearyl Alcohol, Polyquaternium-37	3.5000	Jeen	This Jeesperse utilizes a cationic charged polymer, Polyquaternium-37 which provides a cationic feel to your skin and hair products. This cationic Jeesperse allows for a high level of oils and emulsions while imparting a light, powdery feel.
C	JEESILC® CPS-211 Cyclopentasiloxane	1.5000	Jeen	
C	JEESILC® PDS-350 Dimethicone (polydimethylsiloxane)	1.0000	Jeen	
C	Benzyl Alcohol Benzyl Alcohol	0.1000		
C	JOJOBA OIL (CLEAR) Simmondsia Chinensis (jojoba) Seed Oil	1.0000	Jeen	
C	SWEET ALMOND OIL NF Prunus Amygdalus Dulcis (sweet Almond) Oil	1.0000	Jeen	
C	OLIVE OIL (PURE) Olea Europaea (olive) Fruit Oil	1.0000	Jeen	
D	DL-PANTHENOL Panthenol DI-pantothenyl Alcohol Cg	0.5000	Jeen	
D	JEECIDE® CAP-5 Phenoxyethanol, Caprylyl Glycol,potassium Sorbate,water, Hexylene Glycol	1.0000	Jeen	Add this Broad Spectrum Preservative System at 0.5-1.5% in any emulsion for complete microbial protection in your formula. Paraben-Free, Formaldehyde-Free and Globally Compliant.
D	BP - Glucan MC Beta Glucan	1.0000	Botanicals Plus	Glucan is a highly purified β-1,6-branched-β-1,3-glucan extracted from liquid fermented mycelia of a unique fungal strain. This will enhance skin immunity, skin treated with Glucan is more resistant to inflammation, irritation and other damages come from UV or toxic environment.
		100.0000	%	

Procedure	Product Specifications
1 Add Phase A to the main tank. Add Phase B and start mixing until Jeesperse ICE-T-CIS-2 is completely dispersed.	Initial pH 5.6
2 Add Phase C ingredients in one at the time. Mix well until uniform.	Initial Viscosity 56,600 kps stTD@10RPM
3 Add Phase D ingredients in one at the time and mix well.	24 hour pH 5.6
4 Make sure cream is completely homogeneous before discontinuation of mixing.	24 hour viscosity 78,000 kps spTD@10RPM

Innovation you can feel

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein