



24 Madison Road  
 Fairfield, NJ 07004  
 Tel #: 973-439-1401  
 Fax #: 973-439-1402  
 info@jeen.com  
 www.jeen.com

## Paraben Free Mousse Foundation

Code **J27-18 DB**      Application **Color Cosmetics**      Body Parts **Face**      Form **Mousse**      Appearance      Emulsion Type **Oil in Water**

Trade Name					
Phase	INCI Name	%	Vendor	Highlight Jeen Ingredients	
A	Water Water Filtered	70.550			
A	<b>JEESILC® DMC 19-3</b> Peg-12 Dimethicone	2.0000	Jeen		
B	<b>JEESPERSE® CPW-2-CROSSPOLYMER-G</b> Polyethylene, Sodium Polyacrylate, Dimethicone/divinyldimethicone/silsesquioxane Crosspolymer	4.0000	Jeen	<p>Engineer your emulsion WITHOUT heat using a Polyethylene wax and a Dimethicone Crosspolymer. Easily swell the crosspolymer on your own; varying the solvent from Isododecane or Cyclomethicone, to any viscosity Dimethicone. Each will deliver different Esthetics and Skin feels! Adding the Crosspolymer into your formula via the wax allows for endless combination of solvents that will swell the polymer differently. Manufacture Faster, More Consistent and while using Less Energy</p>	
B	BYO-IIS2 Byo-iis2	1.8000	Kobo		
B	BRO-IIS2 Bro-iis2	0.9000	Kobo		
B	BBO-11S2 Bbo-11s2	0.2500	Kobo		
B	BTD-IIS2 Btd-iis2	10.000	Kobo		
C	<b>GLYCERIN 99.7% USP</b> Glycerin	4.0000	Jeen		
C	PVPK-30 Pvpk-30	3.0000	ISP		
C	MICA BCWG Mica Bcwg	2.0000	Presperse		
C	Sp-500 Sp-500	1.0000	Kobo		
C	<b>JEECIDE® CAP-5</b> Phenoxyethanol, Caprylyl Glycol,potassium Sorbate,water, Hexylene Glycol	0.5000	Jeen	<p>Add this Broad Spectrum Preservative System at 0.5-1.5% in any emulsion for complete microbial protection in your formula. Paraben-Free, Formaldehyde-Free and Globally Compliant.</p>	
		100.0000	%		

### Procedure

- 1 Mix Phase A at room temperature.
- 2 Blend all powders from the Phase B in an Osterizer and mix on high for 5 minutes.
- 3 Add Phase B into Phase A and mix until homogeneous.
- 4 Add Phase C and mix till uniform.

***Innovation you can feel***

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation.  
 The data on this sheet relates only to the specific material designated herein