



24 Madison Road, Fairfield, New Jersey 07004 USA  
Tel: 800-771-JEEN (5336) Tel: 973-439-1401 Fax: 973-439-1402  
email: [info@jeen.com](mailto:info@jeen.com) Website: [www.jeen.com](http://www.jeen.com)

**JEESORB S-20-K (NF)**  
POLYSORBATE 60  
KOSHER GRADE

APPEARANCE @ 25°C.:	YELLOW OILY LIQUID TO SEMI SOLID
ACID VALUE:	2.0 MAXIMUM
SAPONIFICATION VALUE:	45.0 – 55.0
HYDROXYL VALUE:	81.0 – 96.0
WATER CONTENT (KF)	3.0 MAXIMUM
COLOR (GARDNER):	5.0 MAXIMUM
ASH, %:	0.25 MAXIMUM
pH (5% SOLUTION):	5.0 – 7.0
SPECIFIC GRAVITY @ 25°C:	1.055 – 1.085
RESIDUAL SOLVENTS:	CONFORMS
1,4 DIOXANE, PPM:	10.0 MAXIMUM
FREE ETHYLENE OXIDE, PPM	1.0 MAXIMUM
PEROXIDE VALUE, MEQ/KG	10.0 MAXIMUM
HEAVY METALS, PPM:	10.0 MAXIMUM
RESIDUE ON IGNITION:	0.25 MAXIMUM
OXYETHYLENE CONTENT, %:	65.0 – 69.5
C18, %	40.0 – 60.0
C16 AND C18, %	90.0 MINIMUM
IDENTIFICATION:	PASSES TEST A&B

**Standard Drum Packaging:** 55 Gallon Steel Drum  
**Standard Drum Weights:** Gross: 514 Lbs. Tare: 44 Lbs. Net: 470 Lbs.

**Standard Pail Packaging:** 5 Gallon Poly Pail  
**Standard Pail Weights:** Gross: 43 3 Lbs. Tare: 4 Lbs. Net: 40 Lbs.

**Important Note: This document is for informational purposes only. Please contact your JEEN International Sales Representative before writing specifications for this product.**

All suggestions and data in this bulletin are based on information we believe to be reliable. They are offered in good faith. However, no guarantee is made or implied as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions on an experimental basis before adopting them on a commercial scale. Statements as to the use of our products are not to be construed as recommendations for their use in the infringement of any patents.

Revision Date: 3/13/2017