



24 Madison Road, Fairfield, New Jersey 07004 USA
 Tel: 800-771-JEEN (5336) Tel: 973-439-1401 Fax: 973-439-1402
 email: info@jeen.com Website: www.jeen.com

JEESORB O-20 NF
 (Polysorbate 80)

Appearance @ 25°C:	Clear, Yellow Liquid
ID Tests: A, B, C (NF Method)	Meets NF Requirements
Peroxide Value (USP <401>):	10.0 Maximum
Specific Gravity 25°C (USP <841>):	1.06 - 1.09
pH, 5% Aqueous Solution	6.0 - 7.0
Color (Gardner):	5.0 Maximum
Viscosity @ 25°C Centistokes (Cannon-Fenske)	300 - 500
Acid Value (USP <401>):	2.0 Maximum
Saponification Value (USP <401>):	45.0 – 55.0
Hydroxyl Value (USP <401>):	65.0 – 80.0
Water Content, % (Karl Fischer):	3.0 Maximum
Residue on Ignition, % (NF):	0.25 Maximum
Heavy Metals, ppm (USP <231>):	10.0 Maximum
Arsenic, ppm (USP <231>):	1.0 Maximum
Free Ethylene Oxide, ppm (NF Method)	1.0 Maximum
1, 4 Dioxane, ppm (NF Method)	10.0 Maximum
Residual Solvents	Pass
Peroxide Value Meq/kg	10.0 Maximum
Fatty Acid Composition (NF Method):	
-Myristic Acid Percent	5.0 Maximum
-Palmitic Acid Percent	16.0 Maximum
-Palmitolenic Acid Percent	8.0 Maximum
-Stearic Acid Percent	6.0 Maximum
-Oleic Acid Percent	58.0- 95.0
-Linoleic Acid Percent	18.0 Maximum
-Linolenic Acid Percent	4.0 Maximum

PACKAGING:	55 GALLON STEEL DRUM		
WEIGHTS:	GROSS: 530 Lbs.	TARE: 40 Lbs.	NET: 490 Lbs.
	GROSS: 240.41 Kgs	TARE: 18.14 Kgs.	NET: 222.26 Kgs.
PACKAGING:	5 GALLON PAIL		
WEIGHTS:	GROSS: 43 Lbs.	TARE: 3 Lbs.	NET: 40 Lbs.
	GROSS: 19.50 Kgs.	TARE: 1.36 Kgs.	NET: 18.14 Kgs.

Important Note: This document is for informational purposes only. Please contact your JEEN International Sales Representative before writing specifications for this product.

All suggestions and data in this bulletin are based on information we believe to be reliable. They are offered in good faith. However, no guarantee is made or implied as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions on an experimental basis before adopting them on a commercial scale. Statements as to the use of our products are not to be construed as recommendations for their use in the infringement of any patents.