



24 Madison Road, Fairfield, New Jersey 07004 USA
Tel: 800-771-JEEN (5336) Tel: 973-439-1401 Fax: 973-439-1402
email: info@jeen.com , Website: www.jeen.com

JEELATE SLES-60
(SODIUM LAURYL ETHER SULFATE)

JEELATE SLES 60 IS THE SODIUM SALT OF LAURYL ETHER SULFATE. THIS ANIONIC SURFACE-ACTIVE AGENT IS MANUFACTURED BY A MODERN AIR-SO₃ PROCESS. IT HAS APPLICABILITY IN HIGH FOAMING FINE FABRIC WASHES AND LIQUID LAUNDRY DETERGENTS. THIS MATERIAL IS CHARACTERIZED BY:

- MILDNESS TO THE SKIN IN PROPERLY BLENDED FORMULATIONS.
- * HIGH FOAMING IN THE PRESENCE OF HARD WATER.
- * EXCELLENT FOAM STABILIZATION IN THE PRESENCE OF SOILS.
- * LIGHT COLOR AND LOW ODOR.
- * HIGH ACTIVE CONTENT.
- * EASE OF HANDLING.

SPECIFICATIONS:

| | |
|---------------------|--------------------|
| APPEARANCE AT 25°C: | PALE YELLOW LIQUID |
| COLOR, APHA: | 100 MAXIMUM |
| ACTIVE %: | 58 - 60 |
| SODIUM CHLORIDE, %: | 2.50 MAXIMUM |
| SODIUM SULFATE, %: | 0.54 MAXIMUM |
| ETHANOL%: | 13 - 15 |
| pH 10% SOLUTION: | 7.5 - 8.5 |
| UNSULFATED, % | 3.50 MAXIMUM |

FOAMING PROPERTIES:

ROSS-MILES FOAM HEIGHT
0.1% ACTIVE @ 25 DEG C
INITIAL, MM
1 MIN, MM
5 MIN, MM

WATER HARDNESS
50 PPM 300 PPM
230 230
200 200
197 197

| | | | |
|------------|----------------------|-------------------|-------------------|
| PACKAGING: | TOTE | | |
| GROSS WT: | 2865 LBS. | TARE WT: 165 LBS. | NET WT: 2700 LBS. |
| PACKAGING: | 55 GALLON FIBER DRUM | | |
| GROSS WT: | 479 LBS. | TARE WT: 19 LBS. | NET WT: 460 LBS. |
| PACKAGING: | 5 GALLON POLY PAIL | | |
| GROSS WT: | 43 LBS. | TARE WT: 3 LBS. | NET WT: 40 LBS |

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of JEEN International Corporation. The data on this sheet relates only to the specific material designated herein. JEEN International Corporation assumes no legal responsibility for use or reliance upon these data.

Latest Revision Date: 3/27/2017