



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

MATERIAL SAFETY DATA SHEET

SECTION I - MATERIAL AND MANUFACTURER IDENTIFICATION

Manufacturer's Name:	JEEN International Corp. 24 Madison Road Fairfield, NJ 07004 TEL#: 973-439-1401	CHEMTREC Emergency Telephone No.: *CHEMTREC Int'l Emergency Telephone No.: (*Collect Calls Accepted) Revision Date: 08/01/2011	800-424-9300 703-527-3887
----------------------	--	--	------------------------------

Product/Trade Name: **JEEPON AC-78**

SECTION 2- COMPOSITION / INFORMATION ON INGREDIENTS

Name	CAS number	%
Sodium Cocoyl Isethionate (Fatty Acids, Coco, 2-Sulfoethyl esters, Sodium Salts)	61789-32-0	60 – 100

SECTION 3- HAZARD IDENTIFICATION

Physical state:	Noodles
Odor:	Slight
OSHA/HCS status:	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Emergency overview:	No specific hazard.
<u>Potential acute health effects</u>	
Eyes	Slightly irritating to the eyes.
Skin	Slightly irritating to the skin.
Inhalation	No known significant effects or critical hazards.
Ingestion	practically non-toxic if swallowed.
Medical conditions	Repeated skin exposure can produce local skin destruction or dermatitis. Repeated exposure of the eyes to a low level of dust can produce eye irritation.
Aggravated by over exposure	

SECTION 4- FIRST AID MEASURES

Eye Contact:	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Skin Contact:	wash skin thoroughly with soap and water or use recognized skin cleanser. Get medical attention if irritation occurs. Remove contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Inhalation:	move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth to mouth resuscitation. Get medical attention if symptoms occur. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Ingestion:	wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Keep person warm and at rest. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Protection of first aiders:	no action shall be taken involving any personal risk or without suitable training.



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

SECTION 5- FIRE FIGHTING MEASURES

Flammability of the product: May be combustible at high temperature.
 Products of combustion: These products are carbon oxides (CO, CO₂), sulfur oxides (SO₂, SO₃ etc.).
 Some metallic oxides.

EXTINGUISHING MEDIA

Suitable: Use an extinguishing agent suitable for the surrounding fire.
 Special exposure hazards: No specific hazard.
 Special Protective: Fire-fighters should wear appropriate protective equipment and self-contained
 breathing apparatus (SCBA) with a full face-piece operated in positive pressure
 mode.
 Equipment for fire-fighters

SECTION 6- ACCIDENTAL RELEASE MEASURES

Personal Precautions: Use chemical splash goggles or face shield and protective gloves in accordance with local
 regulations.
 Environmental Precautions: It is the general policy of Jeen International to discourage direct disposal of this product, or other
 products like it, into public waterways in the undiluted state. Dispose of in accordance with all local
 and federal regulations.
 Methods of Clean-Up: Ventilate area. Persons performing clean-up should wear adequate protective equipment. Contain
 spill and soak up excess with compatible absorbent material. Transfer to suitable containers for
 disposal or reclamation. Flush area with water to chemical disposal drain.

SECTION 7- HANDLING AND STORAGE

Handling: Wash thoroughly after handling
 Storage / Packaging: Keep container tightly closed. Keep container in a cool, well-ventilated area.

SECTION 8- EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Measures: No special ventilation requirements. Good general ventilation should be sufficient to control
 airborne levels. If this product contains ingredients with exposure limits, use process enclosures,
 local exhaust ventilation or other engineering controls to keep worker exposure below any
 recommended or statutory limits.
 Personal Protection Equipment
 Respiratory System: use a properly fitted, particulate filter respirator complying with an approved standard if risk
 assessment indicates this is necessary, respirator selection must be based on known or anticipated
 exposure levels, the hazards of the product and the safe working limits of the selected respirator.
 Recommended: disposable particulate mask.
 Skin and Body: Personal protective equipment for the body should be selected based on the task being performed
 and the risks involved and should be approved by a specialist before handling this product.
 Hands: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all
 times when handling chemical products if a risk assessment indicates this is necessary.
 >8 hour/hours (breakthrough time): natural rubber (latex)
 Eyes: Safety eyewear complying with an approved standard should be used when a risk assessment
 indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts.
 Recommended: splash goggles, safety glasses with side-shields.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Noodle shaped solid
 Color: Off-white
 Odor: Mild
 Boiling Point: Decomposition temperature: 204.422 deg C (400 deg F)
 Solubility in Water: Soluble in hot water.
 Partially soluble in cold water.
 Flash Point: >200 deg. F closed cup: >93.322 deg C (Tagliabue)
 Specific gravity: <1 (Water = 1)
 Volatility: < 2% (v/v)
 Dispersibility properties: See solubility in water
 Lower Explosion Limit: NA
 Upper Explosion Limit: NA



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

SECTION 10- STABILITY AND REACTIVITY

Stability: Stable
 Conditions to Avoid: None Known
 Materials to Avoid: None Known
 Hazardous Decomposition Products: None Known
 Incompatibility with various substances: reactive or incompatible with the following materials: oxidizing materials.

SECTION 11- TOXICOLOGICAL INFORMATION

Toxicity Data:

<u>Product/ingredient name:</u>	<u>Test</u>	<u>Result</u>	<u>Route</u>	<u>Specials</u>
Fatty acids, coco, 2-sulfoethyl Esters, sodium salts	LD50	4330 mg/kg	Oral	Rat
Sodium Cocoyl Isethionate	LD50	4330 mg/kg	Oral	Rat
Proprietary	LD50	18500 mg/kg	Oral	Rat (similar material)
Other toxic effects on humans:	Not considered to be toxic to humans.			

Specific effects:

Carcinogenic effects: No known significant effects or critical hazards.
 Mutagenic effects: No known significant effects or critical hazards.
 Teratogenicity /: No known significant effects or critical hazards.

reproductive toxicity

Sensitization:

Ingestion: No known significant effects or critical hazards.
 Inhalation: No known significant effects or critical hazards.
 Eyes: Slightly Irritating to the eyes.
 Skin: Slightly irritating to the skin.

SECTION 12- ECOLOGICAL INFORMATION

Environmental precautions: No known significant effects or critical hazards.
 Products of degradation: These products are carbon oxides (CO, CO2) and water, sulfur oxides (SO2, SO3 etc.).
 Some metallic oxides
 Toxicity of the products of: The product itself and its products of degradation are not toxic.
 Biodegradation

SECTION 13- DISPOSAL CONSIDERATIONS

Waste disposal: The generation of waste should be avoided or minimized wherever possible. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal of this product, solutions and any by-product should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristic(s) or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees.

SECTION 14- TRANSPORT INFORMATION

UN Number: NA
 Land-road/Railway ADR/RID Class: NA
 Inland Waterways ADNR Class: NA
 Sea IMDG Class: NA
 IMDG Page Number: NA
 Air IATA-DGR Class: NA
 National Transport Regulations: NA
 Reportable quantity: CERCLA: Hazardous substances. No products were found.
 Flush point: Closed cup: >93.322 deg C (200 deg F). (Tagliabue.)



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

SECTION 15- REGULATORY INFORMATION

United States

HCS Classification: Not regulated.
 U.S. Federal regulations: TSCA 8(b) inventory: fatty acids, coco, 2-sulfoethyl esters, sodium salts
 SARA 302/304/311/312 extremely hazardous substances: No products were found.
 SARA 302/304 emergency planning and notification: No products were found.
 SARA 302/304/311/312 hazardous chemicals: No products were found.
 SARA 311/312 MSDS distribution – chemical inventory – hazard identification: No products were found.
 Clean Water Act (CWA) 307: No products were found.
 Clean Water Act (CWA) 311: No products were found.
 Clean Air Act (CAA) 112 accidental release prevention: No products were found.
 Clean Air Act (CAA) 112 regulated flammable substances: No products were found.
 Clean Air Act (CAA) 112 regulated toxic substances: No products were found.

Canada

WHMIS (CANADA) Not controlled under WHMIS (Canada)
 This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR

EU Regulations

Risk phrases This product is not classified according to EU legislation.

SECTION 16- OTHER INFORMATION

Hazardous material Information System (U.S.A)	Health	1
	Fire Hazard	1
	Reactivity	0
	Personal Protection	C
National Fire protection Association (U.S.A)	Health	1
	Flammability	1
	Instability	0

NON WARRANTY - THE FACTS STATED AND THE RECOMMENDATIONS MADE HEREIN ARE BASED ON OUR OWN RESEARCH AND/OR THE RESEARCH OF OTHERS, AND ARE BELIEVED TO BE ACCURATE. NO GUARANTY OF THEIR ACCURACY IS MADE HOWEVER, AND UNLESS OTHERWISE EXPRESSLY PROVIDED IN WRITTEN CONTRACT, THE PRODUCTS DISCUSSED ARE SOLD WITHOUT CONDITIONS OR WARRANTIES, EXPRESSED OR IMPLIED. JEEN INTERNATIONAL ASSUMES NO RESPONSIBILITY FOR PERSONAL INJURY OR PROPERTY DAMAGE TO USERS OR THIRD PARTIES CAUSED BY THIS MATERIAL. RECIPIENT AGREES TO ASSUME ALL RISK AND LIABILITY, INCLUDING INFRINGEMENT OF ANY PATENTED INVENTION, WHETHER USED SINGLY OR IN COMBINATION WITH OTHER MATERIALS.