



JEEN INTERNATIONAL CORPORATION

24 Madison Road, Fairfield, New Jersey 07004, USA
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
email: info@jeen.com , Website: www.jeen.com

MATERIAL SAFETY DATA SHEET
SECTION - 1 - MATERIAL AND MANUFACTURER IDENTIFICATION

Manufacturer's Name:	JEEN International Corp. 24 Madison Road Fairfield, NJ 07004 Telephone No.: (973) 439-1401	Chemtrec Emergency Tel. # 800-424-9300 *Chemtrec International Emergency Tel.# 703-527-3887 *Collect Calls Accepted Latest Revisions Date: January 6 th , 2003
----------------------	---	--

Trade Name:	JEETERIC CAB-LC
Chemical Name:	Alkanolamide
Chemical Family:	AMPHOTERIC
CAS#:	Confidential

SECTION 2-COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS

COMP:	ALKANOLAMIDE CAS NO. CONFIDENTIAL
PERCENTAGE BY WT.:	FROM 40 TO 49.9 PERCENT

EXPOSURE GUIDELINES

OSHA: TWA- N/E	STEL- N/E	CARCINOGEN: N/E
ACGIH: TWA- N/E	STEL- N/E	
OTHER: TWA- N/E	STEL- N/E	

(s) – Skin exposure	(p)- Proposed limit	(c)- Ceiling exposure	(1)- Recommended exposure limit
(u)- Supplier recommended exposure limit		(N/E)- None established	

SECTION 3- HAZARDS IDENTIFICATION

Principal Hazards	CAUTION: MAY CAUSE EYE IRRITATION. MAY CAUSE SKIN IRRITATION. <i>See Section 11 for complete health hazard information.</i>
-------------------	---

SECTION 4- FIRST AID MEASURES

Oral:	DO NOT INDUCE VOMITING. If conscious give 2 glasses of water. Get immediate medical attention.
Eyes:	Flush immediately with water for at least 15 minutes. Get immediate medical attention.
Skin:	Wash with soap and water. Remove contaminated clothing. Get medical attention if irritation develops. Launder contaminated clothing before reuse and discard shoes and other leather articles saturated with the material.
Inhalation:	Remove exposed person to fresh air if adverse effects are observed.
Additional Information:	Note to physician: Treat symptomatically.

SECTION 5- FIRE FIGHTING MEASURES

Flash Point:	> 100 Deg. C, 212 Deg. F PMCC (Minimum)
Extinguishing Media:	CO2, dry chemical, foam, water spray, water fog.
Firefighting Procedures:	Recommend wearing self-contained breathing apparatus. Water may be ineffective fighting fires.
Unusual Fire & Explosion Hazards:	Toxic fumes, gases or vapors may evolve on burning.

SECTION 6- ACCIDENTAL RELEASE MEASURES

Spill Procedures: Personal Protective Equipment must be worn, see Personal Protection Section for PPE recommendations. Ventilate area if spilled in confined space or other poorly ventilated areas. Prevent entry into sewers and waterways. Pick up free liquid for recycle and/or disposal. Residual liquid can be absorbed on inert material. Check under Transportation and Labeling (DOT/CERCLA) and other Regulatory Information Section (SARA) for hazardous substances to determine regulatory reporting requirements for spills.

PAGE 1 OF 5 JEETERIC CAB-LC



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

SECTION 7- HANDLING AND STORAGE

Maximum Pumping Temperature:	Not determined.
Maximum Handling Temperature:	Not determined.
Handling Procedures:	Keep containers closed when not in use. Do not discharged into drains or the environment, dispose to an authorized waste collection point. Use appropriate containment to avoid environmental contamination. Wash thoroughly after handling. Empty container contains product residue which may exhibit hazards of product.
Maximum Storage Temperature:	Not determined.
Storage Procedures:	Equip bulk storage tanks with overfill protection such as high level alarms or secondary containment. Store drums in area with secondary containment. Storage area should be covered to prevent rain water from entering.
Loading Temperature:	Not determined.

SECTION 8- EXPOSURE CONTROLS/PERSONAL PROTECTION

Ventilation Procedures:	Use local exhaust ventilation to control mists or vapors.
Gloves Procedures:	Use nitrile or neoprene gloves.
Eye Protection:	Chemical goggles or face-shield.
Respiratory Protection:	Use NIOSH/MSHA approved full face respirator with a combination organic vapor and dust/mist cartridge if the recommended exposure limit is exceeded. Use self-contained breathing apparatus for entry into confined space, for other poorly ventilated areas and for large spill clean-up sites.
Clothing Recommendation:	Long sleeve shirt is recommended. Do not wear rings, watches or similar apparel that could entrap the material and cause a skin reaction.

SECTION 9- PHYSICAL AND CHEMICAL PROPERTIES

Flash Point:	> 100 Deg. C, 212 Deg. F PMCC (Minimum)
Upper Flammable Limit:	Not determined.
Lower Flammable Limit:	Not determined.
Auto-ignition Point:	Not determined.
Explosion Data:	Material does not have explosive properties.
Vapor Pressure:	Not determined.
pH:	Not determined.
Specific Gravity:	1.04 (15.6 Deg. C).
Water Solubility:	Soluble.
Percent Volatile:	Unknown.
Percent VOC:	Not determined.
Vapor Density:	Not determined.
Evaporation Rate:	Not determined.
Odor:	Mild
Appearance:	Pale yellow liquid.
Viscosity:	Unknown.
Odor Threshold:	Unknown.
Boiling Point:	Not determined.
Pour Point Temperature:	Not determined.
Freezing Point:	Not determined.

The above data are typical values and do not constitute a specification. Vapor pressure data are calculated unless otherwise noted.

SECTION 10- STABILITY AND REACTIVITY

Stability:	Material is normally stable at moderately elevated temperatures and pressures.
Decomposition Temperature:	Not determined.
Incompatibility:	None known, avoid contact with reactive chemicals.
Polymerization:	Will not occur.
Thermal Decomposition:	Smoke, carbon monoxide, carbon dioxide, aldehydes and other products of incomplete combustion. Under combustion conditions, oxides of the following elements will be formed: nitrogen.



24 Madison Road, Fairfield, New Jersey 07004, USA
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
email: info@jeen.com , Website: www.jeen.com

PAGE 3 OF 5 JEETERIC CAB-LC

SECTION 11- TOXICOLOGICAL INFORMATION

-ACUTE EXPOSURE-

Oral Toxicity: The LD50 in rats is > 2000 mg/Kg and 5000 mg/Kg. Based on data from similar materials. Swallowing material may cause irritation of the gastrointestinal lining, nausea, vomiting, diarrhea, and abdominal pain.

Eye Irritation: Moderate to strong eye irritant. Based on data from similar materials.

Skin Irritation: Based on data from similar materials.

Dermal Toxicity: The LD50 in rabbits is > 2000 mg/Kg. Based on other data or data on similar materials.

Inhalation Toxicity: No data available to indicate product or components may be a toxic inhalation hazard.

Respiratory Irritation: No data available to indicate product or components may cause respiratory irritation under normal workplace conditions and good industrial hygiene practices.

Dermal Sensitization: No data available to indicate product or components may be a skin sensitizer.

Inhalation Sensitization: No data available to indicate product or components may be respiratory sensitizers.

-CHRONIC EXPOSURE-

Chronic Toxicity: No data available to indicate product or components present at greater than 1% are chronic health hazards.

Carcinogenicity: No data available to indicate any components present at greater than 0.1% may present a carcinogenic hazard.

Mutagenicity: No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.

Reproductive Toxicity: No data available to indicate either product or components present at greater than 0.1% that may cause reproductive toxicity.

Teratogenicity: No data available to indicate product or any components contained at greater than 0.1% may cause birth defects.

-ADDITIONAL INFORMATION-

Other: No other health hazards known.

Exposure Limits: See Hazardous Ingredients Section for any applicable exposure limits for components.

SECTION 12- ECOLOGICAL INFORMATION

-ENVIROMENTAL TOXICITY-

Freshwater Fish Toxicity: The acute EC50 for freshwater fish is 1-10 ppm based on component data.

Freshwater Invertebrates Toxicity: The acute EC50 for freshwater invertebrates is 1-10 ppm based on component data.

Algal Inhibition: The acute EC50 is 1-10 mg/L based on component data.

Saltwater Fish Toxicity: Not determined.

Saltwater Invertebrates Toxicity: Not determined.

Bacteria Toxicity: Not determined.

Miscellaneous Toxicity: Not determined.

-ENVIROMENTAL FATE-

Biodegradation: Adequate data is not available to estimate the biodegradation potential of this materials.

Bioaccumulation: There is no data available to evaluate this material for bioconcentration.

Soil Mobility: Not determined.

SECTION 13- DISPOSAL CONSIDERATION

Waste Disposal: This material, if discarded, is not a hazardous waste under RCRA Regulation 40 CFR 261.



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

SECTION 14- TRANSPORT INFORMATION

ICAO/IATA:	Not regulated.
IMDG (Ambient):	Not regulated.
IMDG (Elevated):	DO NOT TRANSPORT-ADDITIONAL INFORMATION REQUIRED
IMDG EMS:	Not applicable.
IMDG MFAG:	Not applicable.
IMO Marine Bulk:	DO NOT TRANSPORT-ADDITIONAL INFORMATION REQUIRED
USCG Compatibility:	Not determined.
U.S. DOT Bulk (Ambient):	Not regulated.
U.S. DOT Bulk (Elevated):	DO NOT TRANSPORT-ADDITIONAL INFORMATION REQUIRED
U.S. DOT Non-Bulk:	Not regulated.
DOT NAERG:	Not applicable.
TDG Bulk (Ambient):	Not regulated.
TDG Bulk (Elevated):	DO NOT TRANSPORT-ADDITIONAL INFORMATION REQUIRED
TDG Non-Bulk:	Not regulated.
Mexico:	Not regulated.
ADR/RID (Ambient):	Not regulated.
ADR/RID (Elevated):	DO NOT TRANSPORT-ADDITIONAL INFORMATION REQUIRED
ADR/RID Hazard ID No.:	Not applicable.
ADG (Ambient):	Not regulated.
ADG (Elevated):	DO NOT TRANSPORT-ADDITIONAL INFORMATION REQUIRED

SECTION 15- REGULATORY INFORMATION

U.S. TSCA Inventory:	All components of this material are on the US TSCA Inventory.
Other TSCA Reg.:	None known.
SARA Ext.Haz.Subst.:	This product does not contain greater than 1.0% of any chemical substance on the SARA Extremely Hazardous Substances list.
SARA Section 313:	This product does not contain greater than 1.0% (greater than 0.1% for carcinogenic substance) of any chemical substances listed under SARA Section 313.
TDG Regulated Limit:	None known.
CERCLA Hazardous Substance:	None known.
Cal. Prop. 65:	This product does not intentionally contain any chemicals known by the State of California to cause cancer and/or birth defects. Moreover, Lubrizol does not routinely analyze its products for impurities which may be such chemicals.
U.S. Fuel Registration:	Not applicable.
U.S. Dept of Agriculture:	This product has not been filed with the USDA to support H2 approvals.
NSF Nonfood Compounds Reg.:	This product has not been filed with the NSF to support H1 or H2 approvals.
U.S. Tariff Heading Number:	3811.29.00.00
Schedule B Number:	3811.29.0000
FDA Approval:	Not applicable.
EEC EINECS:	All components are in compliance with the EC Seventh Amendment Directive 92/32/EEC.
Finnish Registration Number:	Not Registered.
Sweden Registration Number:	Not Registered.
Norway Registration Number:	Not Registered.
Danish Registration Number:	Not Registered.
Switzerland Bag T Reg.Number:	Not Registered.
Japan METI:	All components are in compliance with the Chemical Substances Control Law of Japan.
Australia:	All components are in compliance with chemical notification requirement in Australia.
Canada:	All components are in compliance with the Canadian Environmental Protection Act and are present on the Domestic Substances List.

