



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 10, 2017

Version No.: 2

---

**SECTION 1 – IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

---

- 1.1 Product Identifier**  
Product Name **JEESILC PDS-10**
- 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**  
Identified uses Cosmetic raw material
- 1.3 Details of the Supplier of the Safety Data Sheet**  
Company JEEN International Corporation  
24 Madison Road  
Fairfield, New Jersey 07004  
Tel: +1-973-439-1401  
Fax: +1-973-439-1402  
email: [info@jeen.com](mailto:info@jeen.com)  
Website: [www.jeen.com](http://www.jeen.com)
- 1.4 Emergency telephone number** +1703-527-3887(Chemtrec Int'l Tel - Collect calls accepted)

---

**SECTION 2 – HAZARDS INGREDIENTS**

---

- 2.1 Classification of the Substance or Mixture** according to Regulation (EC) 1272/2008  
None
- 2.2 Label Elements** according to Regulation (EC) EU 1272/2008  
Hazard pictogram None  
Signal words None  
Hazard statements None  
Precautionary statements None
- 2.3 Other Hazards** None known

---

**SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS**

---

- 3.1 Substances**  
Chemical characterization Cosmetic ingredients  
INCI Dimethicone  
CAS 63148-62-9  
EC Polymer exempt  
Concentration 100%
- 3.2 Mixture** -

---

**SECTION 4 – FIRST AID MEASURES**

---

- 4.1 Description of First Aid Measures**



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

**Revision Date: March 10, 2017**

**Version No.: 2**

Eye:	If irritation occurs, flush eye(s) with lukewarm gently flowing water for 5 minutes. Obtain medical attention.
Skin:	No health effect expected. If irritation does occur flush with lukewarm, gently flowing water for 5 minutes. If irritation persists, obtain medical advice.
Inhalation:	If symptoms are experienced remove source of contamination or move victim to fresh air. If irritation persists, obtain medical advice.
Oral:	If irritation or discomfort occurs, obtain medical advice.
Notes to Physician:	Treat according to person's condition and specifics of exposure.

**4.2 Indication of any immediate Medical Attention and special Treatment needed**  
 No information available.

---

**SECTION 5 – FIRE FIGHTING MEASURES**

---

<b>5.1 Flash Point</b>	>214°F / > 101.1°C (Closed Cup)
<b>5.2 Flammable Limits in Air</b>	Not determined
<b>5.3 Auto ignition Temperature</b>	Not determined
<b>5.4 Extinguishing Media</b>	On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO <sub>2</sub> ), dry chemical or water spray. Water can be used to cool fire exposed containers.
<b>5.5 Fire Fighting Measures</b>	Self-contained breathing apparatus and protective clothing should be worn in fighting large fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool.
<b>5.6 Unusual Fire Hazards</b>	None

---

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

---

<b>6.1 Methods and Material for Containment and Cleaning Up</b>	Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Section 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If dikes material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Clean area as appropriate since spilled materials even in small quantities may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose
-----------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 10, 2017

Version No.: 2

of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which federal, state and local laws and regulations are applicable. Section 13 and 15 of this SDS provide information regarding certain federal and state requirements.

**SECTION 7 – HANDLING AND STORAGE**

- |            |                                                                    |                                                              |
|------------|--------------------------------------------------------------------|--------------------------------------------------------------|
| <b>7.1</b> | <b>Precautions for Safe Handling</b>                               | Use with adequate ventilation. Avoid eye contact.            |
| <b>7.2</b> | <b>Conditions for Safe Storage including any incompatibilities</b> | Use reasonable care and store away from oxidizing materials. |

**SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

- |            |                                                                                                                                                             |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>8.1</b> | <b>Component Exposure Limits</b>                                                                                                                            | There are no components with workplace exposure limits.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| <b>8.2</b> | <b>Engineering Controls</b><br>Local ventilation:<br>General Ventilation:                                                                                   | None should be needed<br>Recommended.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| <b>8.3</b> | <b>Personal Protective Equipment for Routing Handling</b><br>Eyes:<br>Skin:<br>Suitable Gloves:<br><br>Inhalation:<br>Suitable Respirator:                  | Use proper protection – safety glasses as a minimum<br>Washing at mealtime and end of shift is adequate.<br>Handle in accordance with good industrial hygiene and safety practices.<br>No respiratory protection should be needed.<br>None should be needed.                                                                                                                                                                                                                                                                                                                                         |
| <b>8.4</b> | <b>Personal Protective Equipment for Spills</b><br>Eyes:<br>Skin:<br>Inhalation / Suitable Respirator:<br>Precautionary Measures:<br>Comments:<br><br>Note: | Use proper protection – safety glasses as a minimum.<br>Washing at mealtime and end of shift is adequate.<br>No respiratory protection should be needed.<br>Avoid eye contact. Use reasonable care.<br>When heated to temperature above 150°C (300 F) in the presence of air, product can form formaldehyde vapors. Physical and health hazards information is readily available from Jeen International per this Material Safety Data Sheet.<br><br>These precautions are for room temperature handling. Use at elevated temperature or aerosol / spray applications may require added precautions. |

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 10, 2017

Version No.: 2

**9.1 Information on basic Physical and Chemical Properties**

Physical Form:	Clear Liquid
Color:	Colorless
Odor:	Odorless
Specific Gravity:	0.934
Viscosity:	10 cSt
Freezing/Melting Point:	Not determined
Boiling Point:	> 35°C
Vapor Pressure @ 25°C:	Not determined
Vapor Density:	Not determined
Solubility in Water:	Not determined
ph:	Not determined
Volatile Content %:	2.0 Maximum
Flash Point:	> 214°F / > 101.1°C (Closed Cup)
Auto ignition Temp:	Not determined
Flammability Limits in Air:	Not determined

Note: The above information is not intended for use in preparing product specifications. Contact Jeen International before writing specifications.

---

**SECTION 10 – STABILITY AND REACTIVITY**

---

<b>10.1 Stability</b>	Stable
<b>10.2 Incompatible Materials</b>	Strong oxidizing material can cause a reaction
<b>10.3 Conditions to Avoid</b>	None
<b>10.4 Hazardous Polymerization</b>	Will not occur

---

**SECTION 11 - TOXICOLOGICAL INFORMATION**

---

<b>11.1 Information on Toxicological Effects</b>	No known applicable information.
--------------------------------------------------	----------------------------------

---

**SECTION 12 - ECOLOGICAL INFORMATION**

---

<b>12.1 Environmental Fate and Distribution</b>	
Air:	This product is a high molecular weight liquid polymer which has a very low vapor pressure. As a result it is unlikely to become an atmospheric contaminant unless generated as an aerosol.
Water:	This product has a very low water solubility (< 100 ppb). As it has a specific gravity of < 1, if discharged to water, it will initially form a surface film. As the product is nonvolatile and has a high binding to sewage sludge. If the sewage sludge is subsequently spread on soil, the silicone product is expected to degrade.



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

**Revision Date: March 10, 2017**

**Version No.: 2**

Soil:

If discharged to surface water, this product will bind to sediment. If discharged in effluent to a waste water treatment plant, the product is removed from the aqueous phase by binding to sewage sludge. If the sewage sludge is subsequently spread on soil, the silicone product is expected to degrade.

Degradation:

This product, polydimethylsiloxane, degrades in soil abiotically to form smaller molecules. These in turn are either biodegraded in soil or volatilized into the air where they are broken down in the presence of sunlight. Under appropriate conditions, the ultimate degradation products are inorganic silica, carbon dioxide and water vapor. Due to the very low water solubility of this product, standard OECD protocols for ready and inherent biodegradability are not suitable for measuring the biodegradability of this product. The product is removed > 80% during the sewage treatment process.

**12.2 Environmental Effects**

Toxicity to Water Organisms:

Based on analogy to similar materials this product is expected to exhibit low toxicity to aquatic organisms.

Toxicity to Soil Organisms:

Experiments show that when sewage sludge containing polydimethylsiloxane is added to soil it had no effect on soil micro-organisms, earthworms or subsequent crops grown in the soil.

Bioaccumulation:

This product is a liquid and is a high molecular weight polymer. Due to its physical size, it is unable to pass through or be absorbed by biological membranes. This has been confirmed by testing or analogy with similar products.

**12.3 Fate and Effects in Waste Water Treatment Plants**

This product or similar products has been shown to be non-toxic to sewage sludge bacteria.

**12.4 Eco toxicity Classification Criteria**

HAZARD PARAMETERS (LC50)	HIGH	MEDIUM	LOW
ACUTE AQUATIC TOXCITY (MG/L)	<=1	>1 AND <=100	>100
ACUTE TERRESTRIAL TOXICITY	<=100	>100 AND <=2000	>2000

Note

This table is adapted from "Environmental Toxicology and Risk Assessment" ASTM STP 1179, P.34, 1991. This table can be used to classify the Eco toxicity of this product when Eco toxicity data is listed above. Please read the other information presented in the section concerning the overall ecological safety of this material

---

**SECTION 13 - DISPOSAL CONSIDERATIONS**

---



**SAFETY DATA SHEET**  
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 10, 2017

Version No.: 2

**13.1 Waste Treatment Methods**

Dispose of in accordance with federal, state and local regulations.

**SECTION 14 – TRANSPORTATION INFORMATION**

**14.1 DOT Road Shipment Information (49 CFR 172.101)**

Not subject to DOT

**14.2 Ocean Shipment (IMDG)**

Not subject to IMDG code

**14.3 Air Shipment (IATA)**

Not subject to IATA regulations

**SECTION 15 – REGULATORY INFORMATION**

**15.1 TSCA Status**

All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**15.2 EPS SARA Title III Chemical Listings**

Section 302 Extremely Hazardous Substances (40 CFR 355): None

Section 304 CERCLA Hazardous Substances (40 CFR 302): None

Section 311 / 312 Hazard Class (40 CFR 370):

Acute:	No
Chronic:	No
Fire:	No
Pressure:	No
Reactive:	No

Section 313 Toxic Chemicals (40 CFR 372):

Note: None present or non-present in regulated quantities. Chemicals are listed under the 313 Toxic Chemicals section only if they meet or exceed a reporting threshold.

**15.3 Supplemental State Compliance Information**

California:

Warning: This product contains the following chemical(s) listed by the State of California under the Sage Drinking Water and Toxic Enforcement Act of 1989 (Proposition 65) as being known to cause cancer birth defects or other reproductive harm: None known

Massachusetts:

No ingredient regulated by MA Right- to Know Law Present

New Jersey

<u>CAS NUMBER</u>	<u>WT %</u>	<u>COMPONENT NAME</u>
63148-62-9	>60.0	Polydimethylsiloxane

Pennsylvania

<u>CAS NUMBER</u>	<u>WT %</u>	<u>COMPONENT NAME</u>
63148-62-9	>60.0	Polydimethylsiloxane

**SECTION 16 – OTHER INFORMATION**



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

**Revision Date: March 10, 2017**

**Version No.: 2**

**Disclaimer:** As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with applicable federal, state and local regulations remains the responsibility of the user.