


Revision Date: March 10, 2017

Version No.: 2

**SECTION 1 – IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

<b>1.1</b>	<b>Product Identifier</b> Product Name	<b>JEELUX V2T</b>
<b>1.2</b>	<b>Relevant Identified Uses of the Substance or Mixture and Uses Advised Against</b> Identified uses	Cosmetic raw material
<b>1.3</b>	<b>Details of the Supplier of the Safety Data Sheet</b> Company	JEEN International Corporation 24 Madison Road Fairfield, New Jersey 07004 Tel: +1-973-439-1401 Fax: +1-973-439-1402 email: <a href="mailto:info@jeen.com">info@jeen.com</a> Website: <a href="http://www.jeen.com">www.jeen.com</a>
<b>1.4</b>	<b>Emergency telephone number</b>	+1703-527-3887(Chemtrec Int'l Tel - Collect calls accepted)

**SECTION 2 – HAZARDS INGREDIENTS**

<b>2.1</b>	<b>Classification of the Substance or Mixture according to Regulation (EC) 1272/2008</b>	Flammable Liquid – Category 3 Aspiration Hazard – Category 1
<b>2.2</b>	<b>Label Elements according to Regulation (EC) EU 1272/2008</b> Hazard pictogram	GHS02      GHS08  
Signal words	Hazard statements	Danger
Precautionary statements		H226: Flammable liquid and vapour H304: May be fatal if swallowed and enters airways P280: Wear protective gloves and eye/face protection. P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking. P241: Use explosion-proof electrical, ventilating, lighting and all material-handling equipment. P301+330+331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+361+353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. P403: Store in a well ventilated place P405: Store locked up





**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 10, 2017

Version No.: 2

<b>5.3</b>	<b>Flammability Limits in Air</b>	Not determined.
<b>5.4</b>	<b>Extinguishing Media</b>	Use medium expansion (>30:1) AFFF alcohol compatible foam or water spray.
<b>5.5</b>	<b>Fire Fighting Procedures</b>	Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals.
<b>5.6</b>	<b>Hazardous Decomposition Products</b>	Silicon dioxide. Carbon oxides and traces of incompletely burned carbon compounds. Formaldehyde.
<b>5.7</b>	<b>Unusual Fire Hazards</b>	None

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

<b>6.1</b>	<b>Methods and Material for Containment and Cleaning Up</b>	Collect for disposal. Clean up remaining materials from spill with suitable absorbent. For large spills provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean area as appropriate since some silicone material, even in small quantities, may present a slip hazard. Final cleaning may require steam, solvents, or detergents. Observe all Federal, Provincial and local regulations that may apply to the clean-up of this material.
<b>6.2</b>	<b>Reference to other Sections</b>	Section 8: Exposure control /personal protection. Section 13: Waste treatment.

**SECTION 7 – HANDLING AND STORAGE**

<b>7.1</b>	<b>Precautions for Safe Handling</b>	Wear safety Glasses and PVC Gloves.
<b>7.2</b>	<b>Condition for Safe Storage, including any Incompatibilities</b>	Keep container closed and away from heat, sparks and open flame.

**SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

<b>8.1</b>	<b>Engineering Controls</b> Local Exhaust: General Ventilation:	Recommended Recommended.
<b>8.2</b>	<b>Personal Protective Equipment for Routine Handling</b> Eyes: Skin: Suitable Gloves: Inhalation:	Use proper protection – safety glasses as a minimum Washing at mealtime and end of shift is adequate. No special protection is needed. Use respiratory protection unless adequate local exhaust



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 10, 2017

Version No.: 2

Suitable Respirator:

ventilation is provided or air sampling data show exposures are within recommended exposure guidelines. Organic vapor type.

**8.3 Personal Protective Equipment for Spills**

Eyes:

Skin:

Inhalation/Suitable Respirator:

Use proper protection – safety glasses as a minimum. Washing at mealtime and end of shift is adequate. Use respiratory protection unless adequate local exhaust ventilation is provided or air sampling data show exposures are within recommended exposure guidelines. Avoid eye contact. Avoid breathing. Keep container closed.

Precautionary Measures:

Note:

These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

---

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

---

**9.1 Information on basic Physical and Chemical Properties**

Appearance:

Clear Liquid

Specific Gravity @ 25oC

0.87 – 0.89

Refractive Index @ 25oC

1.42 – 1.43

Viscosity, cps @ 25° C:

4500 - 6500

(Brookfield HB, Sp. 50 # 4)

---

**SECTION 10 – STABILITY AND REACTIVITY**

---

**10.1 Chemical Stability**

Stable

**10.2 Incompatible Materials**

Oxidizing material can cause a reaction

**10.3 Hazardous Polymerization**

Will not occur

**10.4 Conditions to Avoid**

None known

---

**SECTION 11 - TOXICOLOGICAL INFORMATION**

---

**11.1 Information on Toxicological Effects**

No data available

---

**SECTION 12 - ECOLOGICAL INFORMATION**

---

**12.1 Information on Ecological Effects**

No data available

---

**SECTION 13 - DISPOSAL CONSIDERATIONS**

---

**13.1 Waste Treatment Methods**

Landfill and/or incineration where permitted under Federal, Provincial or local laws. Observe all local, Provincial, and Federal waste management regulations.



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 10, 2017

Version No.: 2

---

**SECTION 14 – TRANSPORTATION INFORMATION**

---

<b>14.1 U.S. DOT</b>	
Proper Shipping Name:	Flammable Liquid, N.O.S. (Contains: Pentamethylheptane)
UN Number:	1993
Hazard Class:	3
Symbol:	Flammable Liquid Diamond
Packing Group:	III
<b>15.2 IATA</b>	
Proper Shipping Name:	Flammable Liquid, N.O.S. (Contains: Pentamethylheptane)
UN Number:	1993
Hazard Class:	3
Symbol:	Flammable Liquid Diamond
Packing Group:	III
IATA/DGR limits:	60 L Passenger Aircraft; 220 L Cargo Aircraft Only
<b>15.3 IMDG</b>	
Proper Shipping Name:	Flammable Liquid, N.O.S. (Contains: Pentamethylheptane)
UN Number:	1993
Hazard Class:	3
Marine Pollutant:	Not Applicable
Symbol:	Flammable Liquid Diamond
Packing Group:	III

---

**SECTION 15 – REGULATORY INFORMATION**

---

Note This product has been classified in accordance with the hazard criteria of the CPR and this SDS contains all information required by CPR. WHMIS Classification:

Product is not subject to WHMIS regulations.

---

**SECTION 16 – OTHER INFORMATION**

---

Health: 1  
Flammability: 2  
Reactivity: 0  
Personal Protection: C

**Disclaimer:** As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with applicable federal, state and local regulations remains the responsibility of the user.