


Revision Date: March 22, 2017

Version No.: 2

SECTION 1 – IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1	Product identifier Product Name	JEEPON 30-A
1.2	Relevant Identified Uses of the Substance or Mixture and Uses Advised Against Identified uses	Cosmetic raw material
1.3	Details of the Supplier of the Safety Data Sheet Company	JEEN International Corporation 24 Madison Road Fairfield, New Jersey 07004 Tel: +1-973-439-1401 Fax: +1-973-439-1402 email: info@jeen.com
1.4	Emergency telephone number	+1703-527-3887(Chemtrec Int'l Tel - Collect calls accepted)

SECTION 2 – HAZARDS INGREDIENTS

2.1	Classification of the Substance or Mixture according to Regulation (EC) 1272/2008	Eye Irritant Skin irritant
2.2	Label Elements according to Regulation (EC) EU 1272/2008 Hazard pictogram	GHS07 
	Signal words	Warning
	Hazard statements	H315: Causes skin irritation H319: Causes serious eye irritation
	Precautionary statements	P302 + P352: IF ON SKIN: Wash with plenty of soap and water P280: Wear protective gloves/protective clothing/eye protection/face P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/ attention.
2.3	Other Hazards	None known

SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

3.1	Substances	-
3.2	Mixture Chemical characterization INCI	Cosmetic ingredients Sodium Methyl Cocoyl Taurate Sodium Chloride



SAFTY DATA SHEET
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 22, 2017

Version No.: 2

CAS	61791-42-2	7647-14-5
EC	263-174-9	231-598-3
Concentration	30-31.5%	4-7%
INCI	Water	Free Fatty Acid
CAS	7732-18-5	-
EC	231-791-2	-
Concentration	59-66%	0.3-3%
Hazardous Ingredients	Classification acc. To Regulation (EC) No 1272/2008	
Sodium Methyl Cocoyl Taurate	Eye Irrit. 2	H319
	Skin Irrit. 2	H315

SECTION 4 – FIRST AID MEASURES

4.1 Description of First Aid Measures	
Eye contact:	Check for and remove any contact lenses. Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Get medical attention immediately.
Skin Contact:	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention immediately.
Inhalation:	Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if symptoms occur.
Ingestion:	Wash out mouth with water. Remove dentures if any. Move exposed person to fresh air. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if symptoms occur. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.
Note to physician:	In case inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
4.2 Most important Symptoms and Effects	No information available
4.3 Indication of any immediate Medical Attention and special Treatment needed	No information available.

SECTION 5 – FIRE FIGHTING MEASURES

5.1 Extinguishing Media	Use an extinguishing agent suitable for the surrounding fire
5.2 Unsuitable Extinguishing Media	None known



SAFTY DATA SHEET
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 22, 2017

Version No.: 2

- 5.3 Protective Equipment for Fire-fighting** Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk with or without suitable training. Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus with a full face-piece operated in positive pressure mode.
- 5.4 Hazardous Thermal Decomposition Products** Carbon Dioxide, Carbon monoxide, nitrogen oxides, sulfur oxides, halogenated compounds, metal and oxide/oxides.

SECTION 6 – ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, Protective Equipment and Emergency Procedures** No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.
- 6.2 Environmental Precautions** Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
- 6.3 Methods and Material for Containment and Cleaning Up**
- Small Spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water insoluble, absorb with an inert dry material and place in appropriate waste disposal contractor.
- Large Spill: Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see section 1 for emergency contact information and section 13 for waste disposal.
- 6.4 Reference to other Sections** Section 8: Exposure control /personal protection.
Section 13: Waste treatment.

SECTION 7 – HANDLING AND STORAGE

- 7.1 Precautions for Safe Handling** Put on appropriate personal protective equipment (see section 8).



SAFTY DATA SHEET
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 22, 2017

Version No.: 2

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored, and processed. Workers should wash hands and face before eating, drinking and smoking. Do not get in eyes or on skin or clothing. Do not ingest. If during normal use that material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

7.3 Condition for Safe Storage, including any Incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool, and well-ventilated area, away from incompatible materials (see section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 Engineering Measures

No special ventilation requirements. Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosure, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.

8.2 Hygiene Measures

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

8.3 Personal Protective Equipment
Respiratory

Use a properly fitted, particulate filter respirator complying with an approved standard if risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Hands

Chemical- resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicated this necessary. 104 hour(s) (breakthrough time): Viton

Eyes

Safety eyewear complying with an approved standard should be used when a risk assessment indicated this is necessary to avoid exposure to liquid splashes, mists gases, or dusts.



SAFTY DATA SHEET
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 22, 2017

Version No.: 2

Skin

Recommended: Splash goggles.

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Body: Recommended: safety apron. Emission from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modification to the process equipment will be necessary to reduce carbon emission to acceptable levels.

8.4 Environmental Exposure

SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic Physical and Chemical Properties

Physical State:
Boiling Point:
Melting / Freezing Point

Density:
Specific Gravity:
Volatility:
Dispersibility Properties:

Soft Off-White Pearlescent Paste with a Mild Fatty Odor
Lowest known value: 100°C (212°F) (water)
May start to solidify at the following temperature: 0°C (32°F) This is based on data for the following ingredient:
water.
1.11 g/cm³
>1
60% (v/v)
Early dispersible in the following materials: cold water and hot water.

SECTION 10 – STABILITY AND REACTIVITY

10.1 Stability

The product is stable.

10.2 Hazardous Polymerization

Under normal conditions of storage and use, hazardous polymerization will not occur.

10.3 Conditions to Avoid

No specific data.

10.4 Hazardous Decomposition Products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 - TOXICOLOGICAL INFORMATION

11.1 Information on Toxicological Effects

No data available.

SECTION 12 - ECOLOGICAL INFORMATION

12.1 Information on Ecological Effects

No data available.

SECTION 13 - DISPOSAL CONSIDERATIONS

13.1 Waste Treatment Methods

The generation of waste should be avoided or minimized



SAFTY DATA SHEET
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 22, 2017

Version No.: 2

wherever possible. Significant quantities of waste product residues should be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

The information presented below only applies to the material as supplied. The identification based on characteristics or listing may not apply if the material has been used or otherwise contaminated. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste identification and disposal methods in compliance with applicable regulations.

SECTION 14 – TRANSPORTATION INFORMATION

14.1 Shipping Description

ADR/RID Class:	Not Regulated
TDG Classification: Not Regulated	
Department of Transportation: DOT Classification:	Not Regulated
IATA Class:	Not Regulated by IATA
IMDG:	Non-Regulated Material (Non Hazardous)
Reportable quantity:	CERCLA: Hazardous substances: No products were found

SECTION 15 – REGULATORY INFORMATION

15.1 HCS Classification

Irritating Material

15.2 U.S. Federal Regulations

TSCA 8 (a) IUR Exempt / Partial exemption: Not determined
United States Inventory (TSCA 8b): All components are listed or exempted
SARA 302/304/311/312 extremely hazardous substances:



SAFTY DATA SHEET
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 22, 2017

Version No.: 2

Clean Air Act Section
 112(b) Hazardous Air
 Pollutants (HAPs):

No products were found
 SARA 302/304 emergency planning and notification: No
 products were found
 SARA 311/312 MSDS distribution – chemical inventory –
 hazard identification
 Sodium Chloride: Immediate (acute) health hazard,
 Delayed (chronic) health hazard

Not listed

Clean Air Act Section 602:
 Class I Substances

Not listed

Clean Air Act Section 602: Not listed
 Class II Substances

DEA list I Chemicals
 (Precursor Chemicals)

Not listed

DEA list II chemicals
 (Essential Chemicals)

State Regulations
 EU Regulations

15.3 Status of Inventories

US inventory
 Canada inventory
 Australia Inventory
 China Inventory
 EU inventory
 Japan Inventory
 Korea Inventory:
 New Zealand:
 Philippines:

All components are listed or exempted
 All components are listed or exempted
 All components are listed or exempted
 All components are listed or exempted
 All components are listed or exempted
 Not determined
 All components are listed or exempted
 All components are listed or exempted
 All components are listed or exempted

Chemical Weapons
 Convention List I
 Chemicals
 Chemical Weapons
 Convention List II
 Chemicals
 Chemical Weapons
 Convention List III
 Chemicals

Not Listed

Not Listed

Not listed

SECTION 16 – OTHER INFORMATION

Revision Date: March 22, 2017

Version No.: 2


16.1 Label Requirements

Causes eye and skin irritation.

16.2 Hazardous Material Information

Health	1
Flammability	1
Physical Hazards	0

**16.3 National Fire Protection
Flammability Association:**



Caution: HMIS ® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks and 4 representing significant hazards or risks although HMIS ® ratings are not required on MSDSs under 29 CFR 1910.1200 the preparer may choose to provide them. HMIS ® ratings are to be used with a fully implemented HMIS ® program. HMIS is a registered mark of the National Paint & Coatings Association (NPCA). HMIS ® materials may be purchased exclusively from J.J. Keller (800-327-6868)

The customer is responsible for determining the PPE code for this material.

Reprinted with permission from NFPA 704-2001, Identification of the Hazards of materials of Emergency Response Copyright 1997, National Fire Protection Association, Quincy, MA 02269. This reprinted material is not the complete and official position of the National Fire Protection Association, on the referenced subject which is represented only by the standard in its entirety.

Copyright © 2001, National Fire Protection Association, Quincy, MA 02269. This warning system is intended to be interpreted and applied only by properly trained individuals to identify fire, health, and reactivity hazards of chemicals. The use is referred to certain limited number of chemicals with recommended classification in NFPA 49 and NFPA 325, which would be used as a guideline only. Whether the chemicals are classified by NFPA or not, anyone using the 704 systems to classify chemicals does so at their own risk.

Emergency Contact Numbers for local language support in Asia Pacific region

COUNTRY INFORMATION	LANGUAGES SUPPORTED	TELEPHONE No.	LOCATION
Australia	English	+61 2 8014 4558	Australia
Bangladesh	Bengali, English	+65 3158 1200	Singapore
China	Mandarin, English	+86 10 5100 3039	Beijing China
India	Hindi English	+65 3158 1198	Singapore
Indonesia	Bahasa Indonesian, English	00780 3011 0293	Indonesia
Japan	Japanese, English	+81 3 4578 9341	Japan
Korea	Korean, English	+65 3158 1285	Singapore
Malaysia	Bahasa Malaysian, English	+ 60 3 6207 4347	Malaysia
New Zealand	English	+61 9929 1483	Australia
Pakistan	Urdu, English	+65 3158 1329	Singapore
Philippines	Tagalog English	+65 3158 1203	Singapore
Sri Lanka	Sinhalese, English	001800 2 2066 6751	Thailand



SAFTY DATA SHEET
According to Regulation (EC) No 1907/2006 (REACH)

Revision Date: March 22, 2017

Version No.: 2

Vietnam	Vietnamese English	+65 3158 1255	Singapore
---------	--------------------	---------------	-----------

Disclaimer: As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with applicable federal, state and local regulations remains the responsibility of the user.