



24 Madison Road, Fairfield, New Jersey 07004, USA
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
email: info@jeen.com , Website: www.jeen.com

MATERIAL SAFETY DATA SHEET

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Issued by: **Chemtrec Emergency Telephone No.: 800-424-9300**
JEEN International Corporation **Chemtrec Int'l Telephone No.: 703-527-3887(Collect Calls Accepted)**
24 Madison Road
Fairfield, NJ 07004
Telephone # 973-439-1401
Revision Date: November 12, 2013

PRODUCT: **JEELATE ALES-60**
PRODUCT TRADE NAME: SULFOCHEM (TM) EA-60 SURFACTANT
CAS #: 67762-19-0
SYNONYMS: AMMONIUM LAURETH SULFATE
GENERIC CHEMICAL NAME: AMMONIUM LAURETH SULFATE
PRODUCT TYPE: SPECIALTY SURFACTANTS

SECTION 2 HAZARDS IDENTIFICATION

APPEARANCE: PALE YELLOW LIQUID
ODOR: ALCOHOL
PRINCIPAL HAZARDS: DANGER.

- CAUSES SEVERE EYE IRRITATION RISK OF IRREVERSIBLE EYE DAMAGE.
- CAUSES SEVERE SKIN IRRITATION.
- FLAMMABLE LIQUID. MAY CREATE A FLAS FIRE HAZARD.
- HARMFUL IF INHALED.
- COMPONENT(S) KNOWN TO CAUSE CHRONIC HUMAN HEALTH EFFECTS.
- MAY CAUSE RESPIRATORY TRACT IRRITATION.

TARGET ORGANS: CENTRAL NERVOUS SYSTEM, LIVER
*SEE SECTION 11 FOR COMPLETE HEALTH HAZARDS INFORMATION.

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENTS

COMP	PERCENTAGE (BY WT.)	SYMBOL(S)	RISK PHRASES	EU #
AMMONIUM LAURETH SULFATE	FROM 60 TO 69.9 PERCENT	Xi	R38 R41	500-172-1
ETHYL ALCOHOL	FROM 10 TO 19.9 PERCENT	F	R11	200-578-6
ETHOXYLATED ALCOHOL	FROM 1 TO 4.9 PERCENT	Xi	R41	500.221-7
AMMONIUM CHLORIDE	FROM 1 TO 4.9 PERCENT	Xn	R22 R36	235-186-4
METHANOL	FROM 0.1 TO 0.9 PERCENT	F T	R11 R23/24/25 R39/23/24/25	200.659-6

SECTION 4 FIRST AID MEASURES

EYES: RINSE CAUTIOUSLY WITH WATER FOR SEVERAL MINUTES. REMOVE CONTACT LENSES, IF PRESENT AND EASY TO DO. CONTINUE RINSING. IMMEDIATELY CALL A POISON CENTER OR DOCTOR.

SKIN: WASH WITH PLENTY OF SOAP AND WATER. IMMEDIATELY REMOVE CONTAMINATED CLOTHING. IF SKIN IRRITATION OCCURS, SEEK MEDICAL ATTENTION. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

INHALATION: REMOVE TO FRESH AIR AND KEEP AT REST IN A POSITION COMFORTABLE FOR BREATHING. IF BREATHING IS LABORED, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED. APPLY ARTIFICIAL RESPIRATION. IF IRRITATION PERSISTS OR IF TOXIC SYMPTOMS ARE OBSERVED, GET MEDICAL ATTENTION.

ORAL: DO NOT INDUCE VOMITING. GET IMMEDIATE MEDICAL ATTENTION.



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

ADDITIONAL INFORMATION: IF EXPOSED OR CONCERNED: GET MEDICAL ATTENTION.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT: > 26°C, 78.8°F SETA (MINIMUM)
 EXTINGUISHING MEDIA: CO2/DRY CHEMICAL/ FOAM WATER CAN BE USED TO PROTECT EXPOSED MATERIAL
 FIREFIGHTING PROCEDURES: RECOMMEND WEARING SELF-CONTAINED BREATHING APPARATUS. WATER MAY BE INEFFECTIVE FIGHTING FIRES. USE WATER TO COOL CONTAINERES EXPOSED TO FIRE.
 UNUSIAL FIRE EXPLOSION : TOXIC FUMES, GASES OR VAPORS MAY EVOLVE ON BURNING. VAPORS MAY BE HEAVIER THAN AIR AND MAY TRAVEL ALONG THE GROUND TO A DISTANT IGNITION SCOURCE AND FLASH BACK. CONTAINER MAY RUPTURE ON HEATING. SEE SECTION 10 FOR ADDITIONAL HEATING.

SECTION 6 ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: MAY FORM EXPLOSIVE MIXTURES WITH AIR. IMMEDIATELY EVACUATE ALL PERSONNEL FROM DANGER AREA. PERSONAL PROTECTIVE EQUIPMENT MUST BE WORN, SEE PERSONAL PROTECTION SECTION FOR PPE RECOMMENDATIONS. ELIMINATE ALL SOURCES OF HEAT, SPARKS PILOT LIGHTS, STATIC ELECTRICITY AND OPEN FLAMES, VENTILATE SPILL AREA. PREVENT ENTRY INTO SEWERS ANS WATERWAYS, DISPOSE OF IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATION. PICK UP FREE LIQUID FOR RECYCLE AND/OR DISPOSAL IF CAN BE ACCOMPLISHED SAFELY WITH EXPLISION PROOF EQUIPMENT. RESIDUAL LIQUID CAN BE ABSORBED ON INERT MATERIAL. CHECK UNDER TRANSPORTATION AND LABELING (DOT/CERCLA) AND OTHER REGULATORY INFORMATION SECTION (SARA) FOR HAZARDOUS SUBSTANCE TO DETERMINE REGULATORY REPORTING REQUIREMENTS FOR SPILLS.

SECTION 7 HANDLING AND STORAGE

PUMPING TEMPERATRURE: NOT DETERMINED.
 MAXIMUM HANDLING TEMP: NOT DETERMINED.
 HANDLING PROCEDURES: KEEP AWAY FROM IGNITION SOURCES SUCH AS HEAT, SPARS AND OPEN FLAME. NO SMOKING. KEEP CONTAINTERS CLOSED WHEN NOT IN USE. DO NOT DISCHARGE INTO DRAINS OR THE ENVIRONMENT. DISPOSE TO AN AUTHORIZED WASTE COLLECTION POINT. USE APPROPRIATE CONTAINMENT TO AVOID ENVIRONMENTAL CONTAMINATION. DO NOT BREATH DUST, FUME, GAS, MIST, VAPORS OR SPRAY. GROUND/BOND CONTAINER AND RECEIVING EQUIPMENT. USE EXPLOSION-PROOF EQUIPMENT. USE ONLY NON-SPARKING TOOLS. USE ONLY OUTDOORS OR IN A WELL-VENTILATED AREA. WASH THROUGHTLY AFTER HANDLING. DO NOT REUSE EMPTY CONTAINERS.
 MAXIMUM STORAGE: NOT DETERMINED.
 TEMPERATURE: 48.89°C, 120°F
 STORAGE PROCEDURE: DO NOT STORE NEAR POTENTIAL SOURCES FOR IGNITION. ISOLATED OUTSIDE STORAGE IS PREFERRED. INSIDE STORAGE AREA SHOULD BE IN A FLAMMABLE LIQUIDS CABINET OR STROAGE AREA. STORE IN A COOL, DRY, WELL-VENTILATED AREA. KEEP CONTATINER TIGHTLY COLSED. DO NOT STORE AT TEMPERATURES GREATER THAN 120 DEG F (49 DEG C).
 LOADING TEMPERATURE: NOT DETERMINED.

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

COMP	EXPOSURE GUIDELINES					
	OSHA		ACGIH		OTHER	
	TWA	STEL	TWA	STEL	TWA	STEL
ETHYL ALCOHOL	1000 PPM	N/E	N/E	1000 PPM	N/E	N/E



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

AMMONIUM CHLORIDE	N/E	N/E	10 MG/CU. M	20 MG/CU. M	N/E	N/E
METHANOL	200 PPMQ	N/E	200 PPM (S)	250 PPM	N/E	N/E

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION CONTINUED

(S) – SKIN EXPOSURE
 (P) – PROPOSED LIMIT
 (C) – CEILING EXPOSURE
 (L) – RECOMMENDED EXPOSURE LIMIT
 (U) – SUPPLIER RECOMMENDED EXPOSURE LIMIT
 OTHER EXPOSURE LIMITS: NONE KNOWN.
 ENGINEERING CONTROLS: USE MATERIAL IN WELL VENTILATED AREA ONLY. ADDITIONAL VENTILATION OR EXHAUSE MAY BE REQUIRED TO MAINTAIN AIR CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS. USE EXPLOSION PROOF EQUIPMENT.
 GLOVES PROCEDURES: USE NITILE OR NEOPRENE GLOVES.
 EYE PROTECTION: CHEMICAL GOGGLES OR FACESHIELD
 RESPIRATORY PROTECTION: USE SELF CONTAINED BREATHING APPARTUS FOR ENTRY INTO CONFINED SPACE, FOR OTHER POORLY VENTILATED AREAS AND FOR LARGE SPILLS CLEAN-UP SITES. CONSULT WITH AN INDUSTRIAL HYGIENIST TO DETERMINE THE APPROPRIATE PROTECTION FOR YOUR SPECIFIC USE OF THIS MATERIAL. A RESPROATORY PROTECTION PROGRAM COMPLIANT WITH ALL APPLICABLE REGULATIONS MUST BE FOLLOWED WHENEVER WORKPLACE CONDITIONS REQUIRE THE USE OF RESPIRATOR.
 CLOTHING RECOMMENDATION: GLOVES, COVERALLS, APRON, BOOTS AS NECESSARY TO M INIMIZE CONTACT. WEAR WITHER A CHEMICAL PROTECTIVE SUIT OR APRON WHEN POTENTIAL FOR CONTACT WITH MATERIAL EXISTS. USE CHMICALLY PROTECTIVE BOOTS WHEN NECESSARY TO AVOID CONTAMINATING SHOES. DO NOT WEAR RINGS, WATCHES OR SIMILAR APPEARL THAT COULD ENTRAP THE MATERIAL AND CUASE A BURN. LAUNDER CONTAMINATED CLOTHING BEFORE REUSE.

SECTION 9 - CHEMICAL AND PHYSICAL PROPERTIES

FLASH POINT: > 26°C, 78.8° F SETA (MINIMUM)
 UPPPER FLAMMABLE LIMIT: NOT DETERMINED
 LOWER FLAMMABLE LIMIT: NOT DETERMINED
 EXPLOSION DATA: MATERIAL DOES NOT HAVE EXPLOSIVE PROPERTIES IN THE LIQUID STATE, BUT VAPORS MAY FORM EXPLOSIVE MIXTURES WITH AIR.
 VAPOR PRESSURE: NOT DETERMINED
 PH: 6.5 – 7.5 AT 10% IN WATER
 SPECIFIC GRAVITY: 1.02 (20°C)
 BULK DENSITY: 8.59 LB/GAL, 1.03 KG/L
 WATER SOLUBILITY: SOLUBLE.
 PERCENT SOLID: 60% BY WEIGHT
 PERCENT VOLATILE: 40% BY WEIGHT
 VOLITILE ORGANIC COMPOUND: NOT DETERMINED
 VAPOR DENSITY: NOT DETERMINED
 EVAPORATION RATE: NOT DETERMINED
 ODOR: ALCOHOL
 APPEARANCE: PALE YELLOW LIQUID
 VISCOSITY: NOT DETERMINED
 ODOR THRESHOLD: NOT DETERMINED
 BOILING POINT: 72 DEG C, 162 DEG F (TYPICAL)
 MELTING/FREEZING POINT: NOT DETERMINED

SECTION 10 STABILITY AND REACTIVITY



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

STABILITY: MATERIAL IS NORMALLY STABLE AT MODERATELY ELEVATED TEMPERATURES AND PRESSURES.
 DECOMPOSITION TEMPERATURE: NOT DETERMINED.
 INCOMPATIBILITY: STRONG OXIDIZING AGENTS.

SECTION 10 STABILITY AND REACTIVITY CONTINUED

POLYMERIZATION: WILL NOT OCCUR.
 THERMAL DECOMPOSITION: SMOKE, CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES AND OTHER PRODUCTS OF INCOMPLETE COMBUSTION.
 CONDITIONS TO AVOID: NOT DETERMINED.

SECTION 11 TOXICOLOGICAL INFORMATION

-- ACUTE EXPOSURE --

EYE IRRITATION: SEVERE EYE IRRITANT. RISK OF IRREVERSIBLE DAMAGE TO EYES. BASED ON DATA FROM COMPONENTS OR SIMILAR MATERIALS.
 SKIN IRRITATION: SEVERE SKIN IRRITANT. BASED ON DATA FROM COMPONENTS AND SIMILAR MATERIALS. PROLONGED OR REPEATED SKIN CONTACT AS FROM CLOTHING WET WITH MATERIAL MAY CAUSE DERMATITIS. SYMPTOMS MAY INCLUDE REDNESS, EDEMA DRYING AND CRACKING OF THE SKIN.
 RESPIRATORY IRRITATION: MAY CAUSE NOSE, THROAT AND LUNG IRRITATION. BASED ON DATA FROM COMPONENTS FROM SIMILAR MATERIALS.
 DERMAL TOXICITY: THE LD50 IN RABBITS IS > 2000 MG/KG. BASED ON DATA FROM COMPONENTS OR SIMILAR MATERIALS.
 INHALATION TOXICITY: HIGH CONCENTRATIONS MAY CAUSE HEADACHES, DIZZINESS, NAUSEA, BEHAVIORAL CHANGES, WEAKNESS, DROWSINESS AND STUPOR.
 ORAL TOXICITY: THE LD50 IN RATS IS > 10,000 MG/KG. BASED ON DATA FROM COMPONENTS OR SIMILAR MATERIALS. SWALLOWING MATERIAL MAY CAUSE IRRITATION OF THE GASTROINTESTINAL LINING, NAUSEA, VOMITING, DIARRHEA, AND ABDOMINAL PAIN. INGESTION OF AMMONIUM CHLORIDE MAY CAUSE ACIDOSIS, FEVER, AND CYANOSIS AS METHEMOGLOBINEMIA.
 DERMAL SENSITIZATION: NO DATA AVAILABLE TO INDICATE PRODUCT OR COMPONENTS MAY BE A SKIN SENSITIZER.
 INHALATION SENSITIZATION: NO DATA AVAILABLE TO INDICATE PRODUCT OR COMPONENTS MAY BE RESPIRATORY SENSITIZER.

-- CHRONIC EXPOSURE --

CHRONIC TOXICITY: INGESTION OF ETHANOL IS KNOWN TO CAUSE LIVER DAMAGE AND OTHER CHRONIC EFFECTS IN HUMANS. INHALATION TESTING USING LABORATORY ANIMALS RESULTED IN LIVER DAMAGE ONLY AT HIGH CONCENTRATIONS.
 CARCINOGENICITY: NO DATA AVAILABLE TO INDICATE ANY COMPONENTS PRESENT AT GREATER THAN 0.1 % MAY PRESENT A CARCINOGENIC HAZARD.
 MUTAGENICITY: PRODUCT CONTAINS BETWEEN 0.1% AND 1 % METHANOL. IN-VITRO TESTS ON METHANOL INDICATE LIMITED EVIDENCE OF MUTAGENICITY. IN-VITRO MUTAGENICITY TESTING OF AMMONIUM CHLORIDE, A COMPONENT OF THIS PRODUCT, HAVE YIELDED MIXED RESULTS.
 REPRODUCTIVE TOXICITY: NO DATA AVAILABLE TO INDICATE EITHER PRODUCT OR COMPONENTS PRESENT AT GREATER THAN 0.1% THAT MAY CAUSE REPRODUCTIVE TOXICITY.
 TERATOGENICITY: PRODUCT CONTAINS BETWEEN 0.1% AND 1% METHANOL. METHANOL HAS BEEN REPORTED TO CAUSE BIRTH DEFECTS IN RATS EXPOSED IN VERY HIGH LEVELS OF VAPOR (20,000 PPM). ETHANOL HAS BEEN REPORTED TO CAUSE BIRTH DEFECTS IN LABORATORY ANIMALS.

-- ADDITIONAL INFORMATION --

OTHER: NO OTHER HEALTH HAZARDS KNOWN



24 Madison Road, Fairfield, New Jersey 07004, USA
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
email: info@jeen.com , Website: www.jeen.com

SECTION 12 – ECOLOGICAL INFO

-- ENVIRONMENTAL TOXICITY --

FRESHWATER FISH TOXICITY: THE ACUTE LC50 IS 1 – 10 MG/L BASED ON SIMILAR MATERIALS.
FRESHWATER INVERTEBRATES: THE ACUTE EC50 IS 1 – 10 MG/L BASED ON SIMILAR MATERIAL. CHRONIC EFFECTS

SECTION 12 – ECOLOGICAL INFO CONTINUED

TOXICITY: EXPECTED AT <1 MG/L BASED ON SIMILAR MATERIALS.
ALGAL INHIBITION: THE ACUTE EC50 IS 10 – 100 MG/L BASED ON SIMILAR MATERIALS.
SALTWATER FISH TOXICITY: NOT DETERMINED.
SALTWATER INVERTEBRATES: NOT DETERMINED
TOXICITY
BACTERIA TOXICITY: NOT DETERMINED
MISCELLANEOUS TOXICITY: NOT DETERMINED

-- ENVIRONMENTAL FATE --

BIODEGRADATION: THIS PRODUCT WILL BIODEGRADE RAPIDLY BASED ON OECD 301 – TYPE TEST DATA
FROM SIMILAR PRODUCTS MEETS READY BIODEGRADATION CRITERIA.
BIOACCUMULATION: 25% OR GREATER OF THE COMPONENTS DISPLAY NO POTENTIAL TO BIOCONCENTRATE.
SOIL MOBILITY: NOT DETERMINED

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL: THIS MATERIAL, IF DISCARDED, IS A HAZARDOUS WASTE UNDER RCRA REGULATION 40
CFR 261. MATERIAL, IF DISCARDED, IS EXPECTED TO BE HAZARDOUS WASTE UNDER
RCRA DUE TO IGNITABILITY (D001). TREATMENT, STORAGE, TRANSPORTATION, AND
DISPOSAL MUST BE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE/ PROVINCIAL,
AND LOCAL REGULATIONS.

SECTION 14 TRANSPORT INFORMATION

ICAO/IATA I: UN1170 ETHANOL SOLUTION, CLASS 3 PG III
ICAO/IATA II: UN1170 ETHANOL SOLUTION, CLASS 3 PG III
IMDG: UN1170 ETHANOL SOLUTION, CLASS 3 PG III
IMDG EMS FIRE: F – E
IMDG EMS SPILL: S – D
IMDG MFAG: 305, 306
MARPOL ANNEX II: NOT DETERMINED
USCG COMPATIBILITY: NOT DETERMINED
U.S. DOT BULK: UN1170 ETHANOL SOLUTION, CLASS 3, PG III
DOT NAERG 127
U.S. DOT NON – BULK: UN1170 ETHANOL SOLUTION, CLASS 3, PG III
DOT NAERG NON BULK 127
MEXICO: UN1170 ETHANOL SOLUTION, CLASS 3, PG III
CANADA: UN1170 ETHANOL SOLUTION, CLASS 3, PG III
BULK QUANTITY: 85000 KG, 187391 LBS
INTERMEDIATE QUANTITY: 11000 KG, 24251 LBS
NON – BULK QUANTITY: 400 KG, 882 LBS

REVIEW CLASSIFICATION REQUIREMENTS BEFORE SHIPPING MATERIALS AT ELEVATED
TEMPERATURES.

SECTION 15. REGULATORY INFORMATION

--GLOBAL CHEMICAL INVENTORIES--



24 Madison Road, Fairfield, New Jersey 07004, USA
 Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
 email: info@jeen.com , Website: www.jeen.com

USA: ALL COMPONENTS OF THIS MATERIAL ARE ON THE US TSCA INVENTORY OR ARE EXEMPT
 OTHER TSCA REG NONE KNOWN
 EU: ALL COMPONENTS ARE IN COMPLIANCE WITH THE EC SEVENTH AMENDMENT DIRECTIVE 92/32/EEC
 JAPAN: ALL COMPONENTS ARE IN COMPLIANCE WITH THE CHEMICAL WITH THE CHEMICAL SUBSTANCE CONTROL LAW OF JAPAN

SECTION 15. REGULATORY INFORMATION CONTINUED...

AUSTRALIA: ALL COMPONENTS ARE IN COMPLIANCE WITH THE CHEMICAL NOTIFICATION REQUIREMENTS IN AUSTRALIA
 NEW ZEALAND: ALL COMPONENTS ARE IN COMPLIANCE WITH THE CHEMICAL NOTIFICATION REQUIREMENTS IN NEW ZEALAND
 CANADA: ALL COMPONENTS ARE IN COMPLIANCE WITH THE CANADIAN ENVIRONMENTAL PROTECTION ACT AND ARE PRESENT ON THE DOMESTIC SUBSTANCES LIST
 SWITZERLAND: ALL COMPONENTS ARE IN COMPLIANCE WITH THE ENVIRONMENTALLY HAZARDOUS SUBSTANCES ORDINANCE IN SWITZERLAND
 KOREA: ALL COMPONENTS ARE IN COMPLIANCE IN KOREA
 PHILIPPINES: ALL COMPONENTS ARE IN COMPLIANCE WITH THE PHILIPPINES TOXIC SUBSTANCES AND HAZARDOUS AND NUCLEAR WASTES CONTROL ACT OF 1990 (R.A. 6969)
 CHINA: ALL COMPONENTS OF THIS PRODUCT ARE LISTED ON THE INVENTORY OF EXISTING CHEMICAL SUBSTANCES IN CHINA
 TAWIWAN MAY REQUIRE NOTIFICATION BEFORE SALE IN TAIWAN

--PRODUCT REGISTRATIONS--

FINNISH REGISTRATION NUMBER: NOT REGISTERED
 SWEDISH REGISTRATION NUMBER: NOT REGISTERED
 NORWEGIAN REGISTRATION NUMBER: NOT REGISTERED
 DANISH REGISTRATION NUMBER: NOT REGISTERED
 SWISS REGISTRATION NUMBER: NOT REGISTERED
 ITALIAN REGISTRATION NUMBER: NOT REGISTERED
 KOREAN REGISTRATION NUMBER: NOT REGISTERED
 U.S. FUEL REGISTRATION: NOT APPLICABLE

-- OTHER U.S. FEDERAL REGULATIONS --

SARA EXT. HAZ, SUBST.: THIS PRODUCT DOES NOT CONTAIN GREATER THAN 1.0% OF ANY CHEMICAL SUBSTANCE ON THE SARA EXTREMELY HAZARDOUS SUBSTANCES LIST.
 SARA SECTION 313: THIS PRODUCT DOES NOT CONTAIN GREATER THAN 1.0% (GREATER THAN 0.1% FOR CARCINOGENIC SUBSTANCE) OF ANY CHEMICAL SUBSTANCES LISTED UNDER SARA SECTION 313.

SARA 311 CLASSIFICATION:

ACUTE HAZARD	YES
CHRONIC HAZARD	YES
FIRE HAZARD	YES
REACTIVITY HAZARD	NO

CERCLA HAZARDOUS SUB. CALIFORNIA PROP 65 NONE KNOWN
 THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER AND OR BIRTH DEFECTS BASED ON MAXIMUM IMPURITY LEVELS ON COMPONENTS: 0.020% 1,4 DIOXANE, CAS NO. 123-91-1



24 Madison Road, Fairfield, New Jersey 07004, USA
Tel: 800-771-JEEN (5336), Tel: 973-439-1401, Fax: 973-439-1402,
email: info@jeen.com , Website: www.jeen.com

SECTION 16 OTHER INFORMATION

HMIS CODES

HEALTH	FIRE	REACTIVITY
3*	3	0

SECTION 16 OTHER INFORMATION CONTINUED

US NFPA CODES

HEALTH	FIRE	REACTIVITY	SPECIAL
3*	3	0	N/E

Disclaimer: As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with applicable federal, state and local regulations remains the responsibility of the user