



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 9, 2017

Version No.: 2

---

**SECTION 1 – IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING**

---

- 1.1 Product Identifier**  
Product Name **JEESILC PDS-10,000**
- 1.2 Relevant Identified Uses of the Substance or Mixture and Uses Advised Against**  
Identified uses **Cosmetic raw material**
- 1.3 Details of the Supplier of the Safety Data Sheet**  
Company **JEEN International Corporation**  
**24 Madison Road**  
**Fairfield, New Jersey 07004**  
**Tel: +1-973-439-1401**  
**Fax: +1-973-439-1402**  
**email: [info@jeen.com](mailto:info@jeen.com)**  
**Website: [www.jeen.com](http://www.jeen.com)**
- 1.4 Emergency telephone number** **+1703-527-3887(Chemtrec Int'l Tel - Collect calls accepted)**

---

**SECTION 2 – HAZARDS IDENTIFICATION**

---

- 2.2 Classification of the Substance or Mixture** according to Regulation (EC) 1272/2008  
**None**
- 2.2 Label Elements** according to Regulation (EC) EU 1272/2008  
Hazard pictogram **None**  
Signal words **None**  
Hazard statements **None**  
Precautionary statements **None**
- 2.3 Other Hazards** **None known**

---

**SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS**

---

- 3.1 Substances**  
Chemical characterization **Cosmetic ingredients**  
INCI **Dimethicone**  
CAS **63148-62-9**  
EC **Exempt**  
Concentration **100**
- 3.2 Mixture** **-**

---

**SECTION 4 – FIRST AID MEASURES**

---

- 4.1 Description of First Aid Measures**  
Eye: **Immediately flush with water.**  
Skin: **No first aid should be needed.**



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

**Revision Date: March 9, 2017**

**Version No.: 2**

Inhalation:	No first aid should be needed.
Oral:	No first aid should be needed.

**SECTION 5 – FIRE FIGHTING MEASURES**

- |            |   |   |
|------------|---|---|
| <b>5.1</b> | <b>Flash Point</b>                            | >212 °F/> 100 °C (Closed Cup)<br>>482 °F/> 250 °C (Cleveland Open Cup)  |
| <b>5.2</b> | <b>Auto-ignition Temperature</b>              | Not determined  |
| <b>5.3</b> | <b>Flammable Limits in Air, % by Volume</b>   | Not determined  |
| <b>5.4</b> | <b>Extinguishing Media</b>                    | On large fires use dry chemical, foam or water spray. On small fires use carbon dioxide (CO <sub>2</sub> ), dry chemical or water spray. Water can be used to cool fire exposed ordinary and water spray for large fires.   |
| <b>5.5</b> | <b>Protective Equipment for Fire-fighting</b> | Self-contained breathing apparatus and protective clothing should be worn in fighting fires involving chemicals. Determine the need to evacuate or isolate the area according to your local emergency plan. Use water spray to keep fire exposed containers cool. |
| <b>5.6</b> | <b>Unusual Fire and Explosion Hazards</b>     | None  |

**SECTION 6 – ACCIDENTAL RELEASE MEASURES**

- |            |   |  |
|------------|---|--|
| <b>6.1</b> | <b>Methods and Material for Containment and Cleaning Up</b> | Determine whether to evacuate or isolate the area according to your local emergency plan. Observe all personal protection equipment recommendations described in Sections 5 and 8. For large spills, provide diking or other appropriate containment to keep material from spreading. If diked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent. Clean area as appropriate since spilled materials, even in small quantities, may present a slip hazard. Final cleaning may require use of steam, solvents or detergents. Dispose of saturated absorbent or cleaning materials appropriately, since spontaneous heating may occur. Local, state and federal laws and regulations may apply to releases and disposal of this material, as well as those materials and items employed in the clean up of releases. You will need to determine which federal, state and local laws and regulations are applicable. Sections 13 and 15 of this SDS provide information regarding certain federal and state requirements. |
|------------|---|--|

**SECTION 7 – HANDLING AND STORAGE**

- |            |   |  |
|------------|---|--|
| <b>7.1</b> | <b>Precautions for Safe Handling</b>                                | Use with adequate ventilation. Avoid eye contact.            |
| <b>7.2</b> | <b>Conditions for Safe Storage, including any incompatibilities</b> | Use reasonable care and store away from oxidizing materials. |



**SAFETY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 9, 2017

Version No.: 2

---

**SECTION 8 – EXPOSURE CONTROLS / PERSONAL PROTECTION**

---

**8.1 Engineering Controls**

Local Exhaust: None should be needed.  
General Ventilation: Recommended

**8.2 Personal Protective Equipment for Handling**

Eyes: Use proper protection – safety glasses as a minimum  
Skin: Washing at mealtime and end of shift is adequate  
Suitable Gloves: Handle in accordance with good industrial hygiene and safety practices.  
Inhalation: No respiratory protection should be needed  
Suitable Respirator: None should be needed

**8.3 Personal Protective Equipment for Spills**

Eyes: Use proper protection – safety glasses as a minimum  
Skin: Washing at mealtime and end of shift is adequate  
Respirator: No respiratory protection should be needed.  
Precautionary Measures: Avoid eye contact. Keep container closed.  
Comments: When heated to temperatures above 150°C in the presence of air, product can form formaldehyde vapors. Formaldehyde is a potential cancer hazard, a known skin and respiratory sensitizer, and an irritant to the eyes, nose throat, skin and digestive system. Safe handling conditions may be maintained by keeping vapor concentrations within the OSHA Permissible Exposure Limit for formaldehyde.

Note: These precautions are for room temperature handling. Use at elevated temperatures or aerosol spray applications may require added precautions.

---

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES**

---

**9.1 Information on basic Physical and Chemical Properties**

Physical Form: Clear to Slightly Hazy Liquid  
Color: Clear  
Odor: No odor to slight sweet odor  
Specific Gravity @ 25°C: 0.97  
Viscosity: 9780 cSt  
Freezing/Melting Point: Not determined  
Boiling Point, °C: >65  
Vapor Pressure, mm Hg 25 °C: Not determined  
Vapor Density: Not determined.  
Solubility in Water (%): Not determined.  
pH: Not determined.  
Volatile Content: Not determined.  
Flash Point: > 212 °F /> 100 °C (Closed Cup) > 482 °F/>250 °C (Cleveland Open Cup)  
Auto-ignition Temperature: Not determined.  
Flammability Limits in Air: Not determined.



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

Revision Date: March 9, 2017

Version No.: 2

Note: The above information is not intended for use in preparing product specification. Contact Jen International before writing specifications.

---

**SECTION 10 – STABILITY AND REACTIVITY**

---

<b>10.1</b>	<b>Chemical Stability</b>	Stable
<b>10.2</b>	<b>Conditions to Avoid</b>	None
<b>10.3</b>	<b>Hazardous Polymerization</b>	Will not occur
<b>10.4</b>	<b>Incompatible Materials</b>	Oxidizing material can cause a reaction.
<b>10.5</b>	<b>Hazardous Decomposition Products</b>	Thermal breakdown of this product during fire or very high heat conditions may evolve the following decomposition products: Carbon oxides and traces of incompletely burned carbon compounds. Silicon dioxide. Formaldehyde.

---

**SECTION 11 - TOXICOLOGICAL INFORMATION**

---

<b>11.1</b>	<b>Information on Toxicological Effects</b>	No data available
-------------	---	-------------------

---

**SECTION 12 - ECOLOGICAL INFORMATION**

---

<b>12.1</b>	<b>Environmental Fate and Distribution</b>	
	Air:	This product is a high molecular weight liquid polymer which has a very low vapor pressure (<1 mm Hg). As a result it is unlikely to become an atmospheric contaminant unless generated as an aerosol.
	Water:	This product has a very low water solubility (<100 ppb). AS it has a specific gravity of < 1, if discharged to water, it will initially form a surface film. As the product is nonvolatile and has a high binding affinity for particulate matter, it will adsorb to particulates and sediment out.
	Soil:	If discharged to surface water, this product will bind to sediment. If discharged in effluent to a waste water treatment plant, the product is removed from the aqueous phase by binding to sewage sludge. If the sewage sludge is subsequently spread on soil, the silicone product is expected to degrade.
	Degradation:	This product, polydimethylsiloxane, degrades in soil abiotically to form smaller molecules. These in turn are either biodegraded in soil or volatilized into the air where they are broken down in the presence of sunlight. Under appropriate conditions, the ultimate degradation products are inorganic silica, carbon dioxide and water vapor. Due to the very low water solubility of this product, standard OECD protocols for ready and inherent biodegradability are not suitable for



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

**Revision Date: March 9, 2017**

**Version No.: 2**

measuring the biodegradability of this product. The product is removed > 80% during the sewage treatment process.

**12.2 Environmental Effects**

Toxicity to Water Organisms:

Toxicity to Soil Organisms:

Bioaccumulation:

Based on analogy to similar materials this product is expected to exhibit low toxicity to aquatic organisms. Experiments show that when sewage sludge containing polydimethylsiloxane is added to soil, it has no effect on soil micro-organisms, earthworms or subsequent crops grown in the soil. This product is a liquid and is a high molecular weight polymer. Due to its physical size it is unable to pass through, or be absorbed by biological membranes. This has been confirmed by testing or analogy with similar products.

**12.3 Fate and Effects in Waste Water Treatment Plants**

This product or similar products has been shown to be non-toxic to sewage sludge bacteria.

**12.4 Ecotoxicity Classification Criteria**

Hazard Parameters (LC50 or EC50)

Acute Aquatic Toxicity (mg/L):

Acute Terrestrial Toxicity:

High	Medium	Low
<=1	> 1 and <=100	>100
<=100	>100 and <=200	>2000

**12.5 Note**

This table is adapted from "Environmental Toxicology and Risk Assessment," ASTM STP 1179, p.34, 1993. This table can be used to classify the ecotoxicity of this product when ecotoxicity of this product when ecotoxicity data is listed above. Please read the other information presented in the section concerning the overall ecological safety of this material.

**SECTION 13 - DISPOSAL CONSIDERATIONS**

**13.1 Disposal Treatment Methods**

RCRA Hazard Class 40 (40 CFR 261).  
 When a decision is made to discard this material, as received, is it classified as a hazardous waste? No State or local laws may impose additional regulatory requirements regarding disposal.

**SECTION 14 – TRANSPORTATION INFORMATION**

**14.1 DOT Road Shipment Information (49 CFR 172.01)** Not subject to DOT

**14.2 Ocean Shipment (IMDG)** Not subject to IMDG code.

**14.3 Air Shipment (IATA)** Not subject to IATA regulations

**SECTION 15 – REGULATORY INFORMATION**

**15.1 OSHA Status** Content of this MSDS comply with the OSHA Hazard Communication Standard 29 CFR 1910.1200.



**SAFTY DATA SHEET**  
**According to Regulation (EC) No 1907/2006 (REACH)**

**Revision Date: March 9, 2017**

**Version No.: 2**

**15.2 TSCA Status** All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances.

**15.3 EPA SARA TITLE III CHEMICAL LISTINGS**  
 Section 302 Extremely Hazard Substances (40 CFR 355) None.

Section 304 CERCLA Hazardous Substances (40 CFR 302) None.

Section 311/312 Hazard Class (40 CFR 370)  
 Acute: No  
 Chronic: No  
 Fire: No  
 Pressure: No  
 Reactive: No

Section 313 Toxic Chemicals (40 CFR 372) None present or none present in regulated quantities  
 \*Note: Chemicals are listed under the 313 Toxic Chemicals section only if they meet or exceed a reporting threshold.

**15.4 Supplement State Compliance Information**

California  
 Warning: This product contains the following chemical(s) listed by the State of California under the Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65) as being known to cause cancer, birth defects or other reproductive harm. : None Known

Massachusetts No ingredient regulated by MA Right-to-Know Law present.

New Jersey		
CAS Number	Wt%	Component Name
63148-62-9	85.0-100.0	Polydimethylsiloxane

Pennsylvania		
CAS Number	Wt%	Component Name
63148-62-9	85.5-100.0	Polydimethylsiloxane

---

**SECTION 16 – OTHER INFORMATION**

---

**Disclaimer:** As the conditions or methods of use are beyond our control, we do not assume any responsibility and expressly disclaim any liability for any use of this product. Information contained herein is believed to be true and accurate but all statements or suggestions are made without warranty, expressed or implied, regarding accuracy of the information, the hazards connected with the use of the material or the results to be obtained from the use thereof. Compliance with applicable federal, state and local regulations remains the responsibility of the user